


Inside Riser Click



Description

Metal accessory for the creation of a 90° Inside Riser in the wiring installation of Pemsaband® and Inducanal® tray. It enables a change of height in a vertical direction and avoids any damage in the routing of the cables. Quick connection assembly using the Click system without couplers. Made of steel in various sizes and Protection Systems.

Advantages

The PG protection system is supplied flat for later assembly and provides savings on transportation and storage by reducing its volume.

Assembly by means of the quick-connect click system without the need for couplers. Patented Universal System that has holes compatible with the connection to other sheet metal tray.

Side flanges have the same profile as the straight section of the trays thus forming a continual view of the installation.

It has pre-formed holes in the sides to allow for the connection of fittings and conduits for the exit of cables.

Available in all sizes and protection systems: PG, GC and stainless steel AISI304 and AISI316.

Applications




Suitable for the creation of an Inside Riser in the Pemsaband® One perforated and solid ranges for the Support, management and distribution of Electrical and/or telecommunications cables in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

Solutions



Inside Riser Click

Main technical characteristics

 35, 60, 100	 100, 150, 200, 300, 60, 400, 500, 600	 100	 1	 20 J	 IP44	 -50 / 150 °C
 A1 No combustible		ETIM EC002400				

Product data



Ⓢ	Ⓜ	Ⓜ	Ⓜ	Ref	kg/u	Ⓜ
PG	Class 3	35	100	70025110	0.324	Steel with surface coating
PG	Class 3	35	150	70025115	0.444	Steel with surface coating
PG	Class 3	35	200	70025120	0.559	Steel with surface coating
PG	Class 3	35	300	70025130	0.786	Steel with surface coating
PG	Class 3	60	60	70025206	0.230	Steel with surface coating
PG	Class 3	60	100	70025210	0.463	Steel with surface coating
PG	Class 3	60	150	70025215	0.590	Steel with surface coating
PG	Class 3	60	200	70025220	0.715	Steel with surface coating
PG	Class 3	60	300	70025230	0.965	Steel with surface coating
PG	Class 3	60	400	70025240	1.220	Steel with surface coating
PG	Class 3	60	500	70025250	1.470	Steel with surface coating
PG	Class 3	60	600	70025260	1.710	Steel with surface coating
PG	Class 3	100	100	70025410	0.688	Steel with surface coating
PG	Class 3	100	200	70025420	0.983	Steel with surface coating
PG	Class 3	100	300	70025430	1.260	Steel with surface coating
PG	Class 3	100	400	70025440	1.540	Steel with surface coating
PG	Class 3	100	500	70025450	1.820	Steel with surface coating
PG	Class 3	100	600	70025460	2.090	Steel with surface coating
GC	Class 5	35	100	70035110	0.349	Steel with surface coating
GC	Class 5	35	150	70035115	0.478	Steel with surface coating
GC	Class 5	35	200	70035120	0.601	Steel with surface coating
GC	Class 5	35	300	70035130	0.845	Steel with surface coating
GC	Class 5	60	100	70035210	0.498	Steel with surface coating
GC	Class 5	60	150	70035215	0.634	Steel with surface coating
GC	Class 5	60	200	70035220	0.769	Steel with surface coating
GC	Class 5	60	300	70035230	1.040	Steel with surface coating
GC	Class 5	60	400	70035240	1.310	Steel with surface coating
GC	Class 5	60	500	70035250	1.580	Steel with surface coating
GC	Class 5	60	600	70035260	1.840	Steel with surface coating
GC	Class 5	100	100	70035410	0.740	Steel with surface coating
GC	Class 5	100	200	70035420	1.060	Steel with surface coating
GC	Class 5	100	300	70035430	1.360	Steel with surface coating
GC	Class 5	100	400	70035440	1.650	Steel with surface coating
GC	Class 5	100	500	70035450	1.960	Steel with surface coating
GC	Class 5	100	600	70035460	2.250	Steel with surface coating



www.pemsa-rejiband.com

Any information included in this document is property of Pemsas®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsas®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsas, Reijband, Pemsaband, Inducanal, Reijtech, Megaband, Pemsaflex are registered trademarks property of "Pemsas Cable Management, S.A."



Ⓢ	Des 61537			Ref	kg/u	Ⓜ
INOX	Class 9C	60	100	70055210	0.405	Stainless steel AISI 304
INOX	Class 9C	60	150	70055215	0.516	Stainless steel AISI 304
INOX	Class 9C	60	200	70055220	0.626	Stainless steel AISI 304
INOX	Class 9C	60	300	70055230	0.844	Stainless steel AISI 304
INOX	Class 9C	60	400	70055240	1.060	Stainless steel AISI 304
INOX	Class 9C	60	500	70055250	1.290	Stainless steel AISI 304
INOX	Class 9C	60	600	70055260	1.500	Stainless steel AISI 304
INOX	Class 9D	60	100	70065210	0.405	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	70065215	0.516	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	70065220	0.626	Acero inoxidable AISI 316L
INOX	Class 9D	60	300	70065230	0.844	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	70065240	1.060	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	70065250	1.290	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	70065260	1.500	Acero inoxidable AISI 316L
GC	Class 5	60	60	82003582	0.237	Steel with surface coating
AZ+	Class 8	60	60	82003813	0.230	Steel with surface coating
AZ+	Class 8	60	100	82003814	0.463	Steel with surface coating
AZ+	Class 8	60	150	82003815	0.590	Steel with surface coating
AZ+	Class 8	60	200	82003816	0.715	Steel with surface coating
AZ+	Class 8	60	300	82003817	0.965	Steel with surface coating
AZ+	Class 8	60	400	82003818	1.220	Steel with surface coating
AZ+	Class 8	60	500	82003819	1.470	Steel with surface coating
AZ+	Class 8	60	600	82003820	1.710	Steel with surface coating

Ⓢ Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6

Inside Riser Click

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

