


Inside Riser Cover Click



Description

Metal cover for the protection of cables in the 90° Click Inside Riser. It has a press-fit assembly system. Made of steel and available in various sizes and Protection Systems.

Advantages

Press-fit click system requiring no additional parts.

The ends have an overlap to improve the fit with straight lids.

Easy access to the riser in the case of having to make any modification to the electrical installation.

Available in all sizes and protection systems: PG, GC and stainless steel AISI304 and AISI316.

Applications

It is used for the protection of wiring in the installation of Pemsaband® One perforated and solid tray installations where the 90° Click Inside Riser is used for installations in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

Solutions



2/3

Main technical characteristics

 60, 100, 150, 200, 300, 400, 500, 600
  100
  1
  -50 / 150 °C
  A1 No combustible
  ETIM EC002402

Product data

⑤	⑤	⑤	Ref	kg/u	⑤
PG	Class 3	60	73025060	0.071	Steel with surface coating
PG	Class 3	100	73025100	0.204	Steel with surface coating
PG	Class 3	150	73025150	0.288	Steel with surface coating
PG	Class 3	200	73025200	0.371	Steel with surface coating
PG	Class 3	300	73025300	0.538	Steel with surface coating
PG	Class 3	400	73025400	0.706	Steel with surface coating
PG	Class 3	500	73025500	0.873	Steel with surface coating
PG	Class 3	600	73025600	1.040	Steel with surface coating
GC	Class 5	100	73035100	0.220	Steel with surface coating
GC	Class 5	150	73035150	0.310	Steel with surface coating
GC	Class 5	200	73035200	0.399	Steel with surface coating
GC	Class 5	300	73035300	0.579	Steel with surface coating
GC	Class 5	400	73035400	0.759	Steel with surface coating
GC	Class 5	500	73035500	0.938	Steel with surface coating
GC	Class 5	600	73035600	1.120	Steel with surface coating
INOX	Class 9C	100	73055100	0.179	Stainless steel AISI 304
INOX	Class 9C	150	73055150	0.252	Stainless steel AISI 304
INOX	Class 9C	200	73055200	0.325	Stainless steel AISI 304
INOX	Class 9C	300	73055300	0.471	Stainless steel AISI 304
INOX	Class 9C	400	73055400	0.617	Stainless steel AISI 304
INOX	Class 9C	500	73055500	0.764	Stainless steel AISI 304
INOX	Class 9C	600	73055600	0.910	Stainless steel AISI 304
INOX	Class 9D	100	73065100	0.179	Acero inoxidable AISI 316L
INOX	Class 9D	150	73065150	0.252	Acero inoxidable AISI 316L
INOX	Class 9D	200	73065200	0.325	Acero inoxidable AISI 316L
INOX	Class 9D	300	73065300	0.471	Acero inoxidable AISI 316L
INOX	Class 9D	400	73065400	0.617	Acero inoxidable AISI 316L
INOX	Class 9D	500	73065500	0.764	Acero inoxidable AISI 316L
INOX	Class 9D	600	73065600	0.910	Acero inoxidable AISI 316L
AZ+	Class 8	60	82003845	0.071	Steel with surface coating
AZ+	Class 8	100	82003846	0.204	Steel with surface coating
AZ+	Class 8	150	82003847	0.288	Steel with surface coating
AZ+	Class 8	200	82003848	0.371	Steel with surface coating
AZ+	Class 8	300	82003849	0.538	Steel with surface coating
AZ+	Class 8	400	82003850	0.706	Steel with surface coating
AZ+	Class 8	500	82003851	0.873	Steel with surface coating



www.pemsa-rejiband.com

Any information included in this document is property of Pemsas®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsas®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsas, Reijband, Pemsaband, Inducanal, Reijtech, Megaband, Pemsaflex are registered trademarks property of "Pemsas Cable Management, S.A."



Ⓢ	Class 61537	Ⓜ	Ref	kg/u	Ⓜ
AZ+	Class 8	600	82003852	1.040	Steel with surface coating
GC	Class 5	60	82003889	0.070	Steel with surface coating

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic