

19/04/2024

1/5

MEGAband Coupler













Description

Coupling piece for joining straight sections and accessories of Megaband® ladder by using M8 hexagonal nuts and bolts. Suitable for Megaband® ladder of 60,100, 120 and 150mm height, maintaining electrical continuity, according to IEC 61537. Made of steel, available in different Protection Systems.

Advantages

Only necessary if straight sections are cut since the Megaband ladder has an integrated coupling system.

Very simple assembly by fixing the coupler to the Megaband® ladder by means of M8 hexagonal nuts and bolts.

Suitable for Megaband® ladder, heights 85, 100 and 120 mm.

Electrical continuity guaranteed according to standard IEC61537.

Wide variety of sizes, protection systems and accessories to adapt to the requirements of each electrical installation.

Applications

Suitable for the joining of straight sections and accessories of the Megaband ladder for the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions

















Ladder tray Coupler **MEGAband** Coupler 19/04/2024

2/5

Main technical characteristics

€ 60, 85

***** -50 / 150 °C

▲ A1 No combustible

ETIM EC002413

Product data

| S | Class IEC 61537 | | ReF | kg/u | © | ⊗ |
|----------|--------------------|----|----------|-------|----|----------------------------|
| EZ | Class 3 | 60 | 93910002 | 0.076 | 50 | Steel with surface coating |
| EZ | Class 3 | 85 | 93910003 | 0.113 | 20 | Steel with surface coating |
| GC | Class 8 | 60 | 93930002 | 0.079 | 50 | Steel with surface coating |
| GC | Class 8 | 85 | 93930003 | 0.117 | 20 | Steel with surface coating |
| INOX | Class 9C | 60 | 93950002 | 0.075 | 50 | Stainless steel AISI 304 |
| INOX | Class 9C | 85 | 93950003 | 0.112 | 20 | Stainless steel AISI 304 |
| INOX | Class 9D | 60 | 93960002 | 0.075 | 50 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 85 | 93960003 | 0.112 | 20 | Acero inoxidable AISI 316L |

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic














MEGAband Coupler

19/04/2024

Product applications












MEGAband Coupler

19/04/2024













MEGAband Coupler

19/04/2024

