
20/04/2024

1/4

Luminaire and Box Support















Description

Metal support for the installation of boxes, luminaires or other items to the Megaband® ladder. Installed in the space between the rungs and connected with the Megaband M8 joint kit or M8 nuts and bolts.

Advantages

Installation between the crossbars.

Support connection with Megaband M8 joint kit or M8 bolts.

Simple and quick assembly without the need of special tools.

Very versatile piece.

Applications

Used for the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector. Designed to withstand very high loads.

Solutions















Luminaire and Box Support

20/04/2024

2/4

Main technical characteristics

ETIM EC000022

Product data

S	Class IEC 61537	Ref	kg/u	A	®	**	<u> </u>
GC	Class 6	93930005	0.463	5	Steel with surface coating	-50 / 150 °C	A1 No combustible

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic














20/04/2024

3/4

Luminaire and Box Support

Product applications













20/04/2024

Luminaire and Box Support

4/4

