
Assembly Accessories

26/04/2024

1/3

MEGAband Hold Down Bracket











Description

Megaband® clamp for fixing ladder to 41x21 and 41x41 channel in both ceiling and vertical installations. Connect with Megaband® M8 joint kit or M8 nuts and bolts.

Advantages

Allows connection to 41x21 and 41x41 channels.

Connect with Megaband M8 joint kit or M8 nuts and bolts.

Available in GC protection system.

Applications

Used for the connection of the Megaband® ladder to 41x21 and 41x41 channel for installations of the ladder from the ceiling or vertically on the wall in the management and distribution of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector.

Solutions













26/04/2024 Assembly Accessories

MEGAband Hold Down Bracket

2/3

Main technical characteristics

(S) GC

Class EC Class 8

60, 100, 120

10

***** -50 / 150

A1 No combustible

ETIM EC000483

Product data

	Rer	kg/u
60	93930022	0.071
100	93930024	0.097
120	93930025	0.111

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic











Assembly Accessories

MEGAband Hold Down Bracket

26/04/2024

3/3

