Assembly Accessories

23/04/2024

1/2

MEGAband Channel Nut







Description

Metal nut for inserting in the rung of the Megaband® ladder to enable the connection of any component or device.

Advantages

Available in two sizes: M6 and M8.

Suitable for the connection of any item or device in the installation of Megaband® ladder.

Available in several protection systems: EZ, GC and AISI316L stainless steel.

Applications

Used for the connection of any item or device to the rung of the Megaband® ladders management and distribution of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector.

Solutions















Assembly Accessories **MEGAband Channel Nut** 23/04/2024

2/2

Main technical characteristics

₩ M 8, M 6 kg/u 0.013 **100 *** -50 / 150 °C

A1 No combustible

ETIM EC000482

Product data

S	Class IEC 615.37		Ref	®
EZ	Class 3	M 8	67010071	Steel with surface coating
EZ	Class 3	M 6	67010072	Steel with surface coating
GC	Class 8	M 8	67030071	Steel with surface coating
GC	Class 8	M 6	67030072	Steel with surface coating
INOX	Class 9D	M 8	67060071	Acero inoxidable AISI 316L
INOX	Class 9D	M 6	67060072	Acero inoxidable AISI 316L

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

PET - Thermoplastic Polyester

TPV - Thermoplastic











