


90° Inside Riser MEGAband



Description

Metal accessory for the creation of an inside riser in the wiring installation with the Megaband® ladder. It allows to make rises and changes of angle at 90° with great ease. Quick connection assembly using the click system. Made of steel, in various sizes and Protection Systems. Bending radius 300 mm. Check availability of 600 mm radius.

Advantages

Connection to ladder by rapid assembly Click system. Only the Megaband® M8 joint kit or M8 nuts and bolts required

Curved safety edge which offers maximum protection.

Its design allows to make rises and changes of height with ease.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

Suitable for level changes in cable management in Megaband® trays in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector. Designed to withstand very high loads.

Solutions



Main technical characteristics

 60, 100, 120, 150

 100, 150, 200, 300, 400, 450, 500, 600, 750, 900

 300

 1

 20 J

 A1 No combustible

ETIM

EC001535

Product data

Ⓢ	EN 61537	Ⓢ	Ⓢ	Ref	kg/u	Ⓜ	Ⓢ
PG	Class 3	60	100	93512100	1.490	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	150	93512150	1.620	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	200	93512200	1.750	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	300	93512300	2.000	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	400	93512400	2.270	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	450	93512450	2.410	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	500	93512500	2.530	Steel with surface coating	-50 / 150 °C
PG	Class 3	60	600	93512600	2.780	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	100	93514100	2.271	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	150	93514150	2.411	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	200	93514200	2.531	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	300	93514300	2.781	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	400	93514400	3.031	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	450	93514450	3.161	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	500	93514500	3.281	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	600	93514600	3.531	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	750	93514750	3.911	Steel with surface coating	-50 / 150 °C
PG	Class 3	100	900	93514900	4.281	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	100	93515100	2.701	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	150	93515150	2.831	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	200	93515200	2.951	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	300	93515300	3.201	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	400	93515400	3.451	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	450	93515450	3.591	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	500	93515500	3.361	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	600	93515600	3.491	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	750	93515750	4.331	Steel with surface coating	-50 / 150 °C
PG	Class 3	120	900	93515900	4.701	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	100	93516100	3.361	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	150	93516150	3.491	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	200	93516200	3.621	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	300	93516300	3.871	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	400	93516400	4.121	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	450	93516450	4.251	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	500	93516500	4.361	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	600	93516600	4.611	Steel with surface coating	-50 / 150 °C

⑤	Class	⑤	④	Ref	kg/u	⑤	⑤
PG	Class 3	150	750	93516750	5.001	Steel with surface coating	-50 / 150 °C
PG	Class 3	150	900	93516900	5.361	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	100	93532100	1.570	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	150	93532150	1.700	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	200	93532200	1.840	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	300	93532300	2.110	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	400	93532400	2.410	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	450	93532450	2.530	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	500	93532500	2.670	Steel with surface coating	-50 / 150 °C
GC	Class 6	60	600	93532600	2.940	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	100	93534100	2.411	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	150	93534150	2.531	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	200	93534200	2.671	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	300	93534300	2.941	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	400	93534400	3.211	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	450	93534450	3.351	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	500	93534500	3.471	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	600	93534600	3.741	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	750	93534750	4.151	Steel with surface coating	-50 / 150 °C
GC	Class 6	100	900	93534900	4.541	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	100	93535100	2.861	Steel with surface coating	-50 °C
GC	Class 6	120	150	93535150	2.991	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	200	93535200	3.131	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	300	93535300	3.391	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	400	93535400	3.661	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	450	93535450	3.801	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	500	93535500	3.571	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	600	93535600	4.191	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	750	93535750	4.601	Steel with surface coating	-50 / 150 °C
GC	Class 6	120	900	93535900	4.991	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	100	93536100	3.571	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	150	93536150	3.691	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	200	93536200	3.831	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	300	93536300	4.101	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	400	93536400	4.371	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	450	93536450	4.511	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	500	93536500	4.631	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	600	93536600	4.901	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	750	93536750	5.311	Steel with surface coating	-50 / 150 °C
GC	Class 6	150	900	93536900	5.701	Steel with surface coating	-50 / 150 °C
INOX	Class 9C	60	100	93552100	1.470	Stainless steel AISI 304	-50 / 150 °C

⑤	Class 9C	60	150	Ref	kg/u	Material	Temp
INOX	Class 9C	60	150	93552150	1.590	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	200	93552200	1.720	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	300	93552300	1.970	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	400	93552400	2.250	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	450	93552450	2.370	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	500	93552500	2.500	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	60	600	93552600	2.750	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	100	93554100	2.251	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	150	93554150	2.371	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	200	93554200	2.501	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	300	93554300	2.751	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	400	93554400	3.001	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	450	93554450	3.141	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	500	93554500	3.251	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	600	93554600	3.501	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	750	93554750	3.881	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	100	900	93554900	4.251	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	100	93555100	2.671	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	150	93555150	2.791	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	200	93555200	2.921	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	300	93555300	3.171	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	400	93555400	3.421	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	450	93555450	3.561	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	500	93555500	3.671	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	600	93555600	3.921	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	750	93555750	4.311	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	120	900	93555900	4.671	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	100	93556100	3.341	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	150	93556150	3.461	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	200	93556200	3.591	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	300	93556300	3.841	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	400	93556400	4.091	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	450	93556450	4.221	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	500	93556500	4.331	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	600	93556600	4.581	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	750	93556750	4.971	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9C	150	900	93556900	5.331	Stainless steel AISI 304	-50 / 150 °C
INOX	Class 9D	60	100	93562100	1.470	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	150	93562150	1.590	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	200	93562200	1.720	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	300	93562300	1.970	Acero inoxidable AISI 316L	-50 / 150 °C

⑤	Class 9D	60	400	Ref	kg/u	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	450	93562450	2.370	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	500	93562500	2.500	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	60	600	93562600	2.750	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	100	93564100	2.251	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	150	93564150	2.371	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	200	93564200	2.501	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	300	93564300	2.751	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	400	93564400	3.001	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	450	93564450	3.141	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	500	93564500	3.251	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	600	93564600	3.501	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	750	93564750	3.881	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	100	900	93564900	4.251	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	100	93565100	2.671	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	150	93565150	2.791	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	200	93565200	2.921	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	300	93565300	3.171	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	400	93565400	3.421	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	450	93565450	3.561	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	500	93565500	3.671	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	600	93565600	3.921	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	750	93565750	4.311	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	120	900	93565900	4.671	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	100	93566100	3.341	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	150	93566150	3.461	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	200	93566200	3.591	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	300	93566300	3.841	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	400	93566400	4.091	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	450	93566450	4.221	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	500	93566500	4.331	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	600	93566600	4.581	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	750	93566750	4.971	Acero inoxidable AISI 316L	-50 / 150 °C
INOX	Class 9D	150	900	93566900	5.331	Acero inoxidable AISI 316L	-50 / 150 °C

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

IEC 61537

RoHS

REACH

CE

RoHS

E90

- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product applications

