



PQ Tee



Description

Metal accessory for the construction of a Tee at any point of the Pemsaband® PQU and PQW tray. The Pemsaband® PQ Tee is used to create a T-shaped section allowing the cable path to go in two separate lines. Joins with nuts and bolts. Approved according to CEPSA and REPSOL specifications. Made of steel and with GC Protection System 85 microns thick.

Advantages

Compatible with Pemsaband® PQU and Pemsaband® PQW ranges.

Available for all heights 15, 30, 50, 60 and in widths from 100 to 600.

Conforms to IEC 61537 and CE Conformity to Directive 2014/35/EU.

Specially designed for the petrochemical sector, with CEPSA and REPSOL approvals.











GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 8 according to IEC 61537.

Applications

Suitable for the creation of Tees in Pemsaband® PQU and PQW trays, for the Support, management and distribution of cables in Petrochemical, Oil & Gas, Offshore, Civil works and Infrastructures, as well as in tunnels and installation galleries.

Solutions



Main technical characteristics							
 GC	 Class 8	 15, 30, 50, 60	 100, 150, 200, 300, 400, 500, 600	 100	 1	 Steel with surface coating	
 20 J	 -50 / 150 °C	 A1 No combustible	ETIM EC002401				

Product data			
⌀	⌀	Ref	kg/u
15	100	70223010	1.121
15	150	70223015	1.691
15	200	70223020	2.341
15	300	70223030	3.911
30	100	70223110	1.271
30	150	70223115	1.851
30	200	70223120	2.521
30	300	70223130	4.111
30	400	70223140	5.971
30	500	70223150	8.281
30	600	70223160	10.801
50	100	70223210	1.461
50	150	70223215	2.061
50	200	70223220	2.751
50	300	70223230	4.371
50	400	70223240	6.271
50	500	70223250	8.611
50	600	70223260	11.201
60	100	70223310	1.561
60	150	70223315	2.171
60	200	70223320	2.861
60	300	70223330	4.511
60	400	70223340	6.421
60	500	70223350	8.781

Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum

PQ Tee

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

