
Accessories **Omega SPLUS Protector** 29/03/2024

1/4









Description

Plastic protector for omega supports, in red, providing maximum protection to the installer in the installation of trays. It acts as a cover for the final protection of the support, avoiding chafing and cuts during the installation and maintenance process.

Advantages

Click system of rapid push fit assembly. New design that also allows stacking of the supports and packaging optimisation.

It is provided free of charge with each support. Included with omega SPLUS, omega ceiling, suspensions and omega pendants.

Improve the finish of the installation and protect the installer.

CE conformity to directive 2014/35 / EU.

Made of red plastic.

Applications

Suitable for the protection of the ends of omega SPLUS brackets for the support of cable trays in electrical and / or telecommunications installations.

Solutions













2/4



Accessories

29/03/2024 **Omega SPLUS Protector**

Main technical characteristics

ETIM EC000475

Product data

Colour	ReF	kg/u	A	0	₩
Red RAL 3000	62031084	0.003	50	Plastic	-15 / 90 °C

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic














29/03/2024 Accessories

Omega SPLUS Protector

3/4

Product applications













Accessories

Omega SPLUS Protector

29/03/2024

