


## Connector Plate



### Description

Metal connector plate used for the mounting and fixing of Rejiband trays such as for fixing to a partition wall. Suitable for all widths and heights of 35, 60 and 100 mm. Made of steel and available in various Protection Systems.

### Advantages

A M6x20 screw must be used together with an M6 washer and nut to fix the Divider.

It can be used together with other Rejiband attachments for joining different sections.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, BC, GC, high resistance BK C8 and passivated stainless steel AISI 316.

### Applications

Recommended for the installation of Rejiband trays in public buildings, major infrastructures, civil works, tertiary sector and industrial applications.

### Solutions



Main technical characteristics

 50	 -50 / 150 °C	 A1 No combustible	ETIM EC002413
--	--	---	------------------

Product data

Ⓢ	Class 61537	Ref	kg/u	Ⓜ
EZ	Class 3	64010062	0.011	Steel with surface coating
BC	Class 5	64020062	0.011	Steel with surface coating
GC	Class 8	64030062	0.011	Steel with surface coating
INOX	Class 9D	64060062	0.011	Acero inoxidable AISI 316L
BK8	Class 8	64080062	0.010	Steel with surface coating

Ⓢ Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

Ⓜ Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic