
Accessories

28/03/2024

1/4

















Description

Metal clip for connecting Rejiband® wire mesh tray tray to 41x21 or 41x41mm channel and strut. The clip fastening is compatible with all types of channel. It is suitable for all tray sizes except 35x60 and 60x60mm.

Advantages

Fixing by quick mount click system.

No screws or other fasteners required.

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 8 according to IEC 61537.

Applications

Suitable for the fast fixing of Rejiband wire mesh tray onto 41x21 or 41x41mm channel in interior installations in a dry atmosphere without contaminants, outdoor, industrial, rural or Interior installations.

Solutions





INDUSTRIA PETROQUÍMICA TUNELES. INFRAESTRUCTURAS













registered trademarks property of "Pemsa Cable Management, S.A."



28/03/2024 Accessories

Strut Clip

2/4

Main technical characteristics

***** -50 / 150 °C

A1 No combustible

EC000483

Product data

S)	Class IEC 61537	Ref	kg/u	R	⊗
G	2	Class 8	67030049	0.018	50	Steel with surface coating
INC	X	Class 9D	67060050	0.010	100	Acero inoxidable AISI 316L

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

™ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic














Strut Clip

Accessories

28/03/2024

3/4

Product applications















Accessories

Strut Clip

28/03/2024

