


Fixings

26/04/2024 1/2

IEC



Description

Flat metal washer for assembly with nut and bolt in the fixing of trays. Available in M8 and M10. Made of steel with different Protection Systems.

Advantages

Stronger fixing preventing the bolt from loosening.

Available in two sizes: M8 and M10.

CE conformity to directive 2014/35 / EU.

Available in different protection systems: EZ and GC stainless steel AISI 316.

Applications

Suitable for fixing accessories, supports and structures in wall and ceiling assemblies for trays in electrical wiring and / or telecommunications.

Solutions



🔣 MAREN 🎬 🛯 👄 🖪 (E 🗰 E90

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, SA."

pemsa

Fixings

Main technical characteristics

🤘 M10, M 8	ੴ 100 ⑧ -50 ℃	0/150	🌋 A1 No combustible	ETIM EC000098			
Product data							
S	Cass EC 61537	W	Ref	kg/u	0		
BC	Class 5	M10	67020013	0.004	Steel with surface coating		
EZ	Class 3	M10	67020061	0.004	Steel with surface coating		
BC	Class 5	M 8	67020063	0.002	Steel with surface coating		
EZ	Class 3	M 8	67020083	0.002	Steel with surface coating		
GC	Class 8	M10	67030013	0.002	Steel with surface coating		
GC	Class 8	M 8	67030063	0.002	Steel with surface coating		
INOX	Class 9D	M 8	67060063	0.002	Acero inoxidable AISI 316L		
INOX	Class 9D	M10	67060064	0.004	Acero inoxidable AISI 316L		
CU	Class 1	M10	82003298	0.002	Steel with surface coating		

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

 $\boldsymbol{\mathsf{BC}}$ - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

	Insulating materials		
--	----------------------	--	--

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

DATA SHEET

26/04/2024 2/2

