

## Zinc Paint Spray



### Description

Zinc spray paint for the protection of the cuts of Rejiband® tray rods in electrical installations. Useful for reviewing and protecting cuts or Imperfections in the finish of the trays, after their bending.

### Advantages

Maximum protection against corrosion.

Economical and simple.

Supplied in an aerosol spray for ease of application.

Its application guarantees a perfect finish.

### Applications

Suitable for spraying on the cut ends of trays in installations for the management and distribution of electrical and/or telecommunication wiring where it is necessary to protect the tray and accessories to avoid any problems of corrosion at these points.

### Solutions



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Zinc Paint Spray

Main technical characteristics

ETIM  
EC002935

Product data

Ref	kg/u	
68000052	0.520	1
68000053	0.520	1

Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

