



Description

TPM threaded metal plug with an IP68 index with the included O-ring according to EN 60529. Available in metric thread from M12 to M63 and PG7 to PG48. Made of nickel-plated brass.

Advantages

Made of nickel-plated brass.

Protection index EN 60529: IP68 (with O-ring).

CE conformity to the 2014/35 directive and the IEC 61386 standard.

Applications

Suitable for the capping of holes in boxes or electrical cabinets ensuring a degree of protection.

Solutions



Main technical characteristics						
LTN	Nickel-plated brass	PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG42, PG48, M12, M16, M20, M25, M32, M40, M50, M63				
LATÓN NIQUELADO,NBR	IP68	-25 / 90 °C	LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA		ETIM EC002316	

Product data						
PG 7	5.25	14	8	44010007	0.003	100
PG 9	6	17	9	44010009	0.005	100
PG11	6	20	9	44010011	0.007	100
PG13	6.5	22	9.5	44010013	0.009	100
PG16	6.5	24	9.5	44010016	0.011	100
PG21	7	30	11	44010021	0.021	100
PG29	8	39	12	44010029	0.019	50
PG36	9	50	15	44010036	0.018	25
PG42	10	57	16	44010042	0.030	25
PG48	10	64	16	44010048	0.023	10
M12	5	14	7	44011120	0.003	100
M16	6	18	8	44011160	0.005	100
M20	6.5	22	8.5	44011200	0.007	100
M25	7	27	10	44011250	0.011	100
M32	8	34	11	44011320	0.009	50
M40	9	44	13	44011400	0.009	25
M50	10	54	14.5	44011500	0.016	25
M63	10	67	15	44011630	0.191	10

Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass

Insulating materials
PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene

Caps

19/04/2024

TPM Cap

3/3

- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic



www.pemsa-rejiband.com



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."