

Rejiband. Wire mesh trays 28/03/2024

Rejiband 60x60 Double Rod









Description

Steel wire mesh tray 60x60 mm with double rod in the base, with surface protection or AISI 304 or 316L stainless steel and safety edge for support and cable management. The Rejiband® cable tray is composed of electro-welded mesh rods that provide great strength and elasticity. The easiness in the assembly, thanks to its flexibility and its click system of quick connection without screws for supports and accessories, allows to saves material and labour costs. Manufactured according to international standards IEC 61537.

Advantages

High resistance, flexibility and adaptable to each project providing a saving of more than 30% in the installation.

Rounded safety edge that prevents damage to the cables and harm to the installer.

It has a double rod in the base that improves its fixing.

Conforms to IEC 61537 and CE Conformity to Directive 2014/35/EU.

Wide range of protection systems: EZ, BC, GC, BK8 and stainless steel AISI 304 and AISI 316L.

Applications

Support, management and distribution of cables in Electrical and/or telecommunications installations in: Civil Works, Tunnels, Car Parks, Public Buildings, Shopping Centres, Data Processing Centres, Infrastructures, Airports, Underground and Railway. Tertiary sector and industrial applications: Naval, Petrochemical, Textile, Chemical and Food. Indoor applications in the dry or in exterior atmospheres with wet environments according to the various finishes.

Solutions















INDUSTRIA ALIMENTARIA INDUSTRIA QUIMICA FARMACEUTICA INDUSTRIA PETROQUÍMICA ENERGÍA FOTOVOLTAICA CENTROS DE DATOS EDIFICACIÓN. TERCIARIO



TUNELES. INFRAESTRUCTURAS













Rejiband. Wire mesh trays 28/03/2024

Rejiband 60x60 Double Rod

2/3

Main technical characteristics

ETIM ***** -50 / 150 A1 No combustible

Product data

S	Class IEC 61537	Ref	kg/u	⊗
EZ	Class 3	60212065	0.748	Steel with surface coating
ВС	Class 5	60222065	0.748	Steel with surface coating
GC	Class 7	60232065	0.793	Steel with surface coating
INOX	Class 9C	60252065	0.748	Stainless steel AISI 304
INOX	Class 9D	60262065	0.748	Acero inoxidable AISI 316L
BK8	Class 8	60282065	0.748	Steel with surface coating

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

PET - Thermoplastic Polyester

TPV - Thermoplastic











Rejiband. Wire mesh trays 28/03/2024

Rejiband 60x60 Double Rod



