


90° Outside Riser MEGAband



Description

Metal accessory for the creation of an outside riser in the wiring installation with the Megaband® ladder. It allows to make drops and changes of angle at 90° with great ease. Quick connection assembly using the click system. Made of steel, in various sizes and Protection Systems. Bending radius 300 mm. Check availability of 600 mm radius.

Advantages

Connection to ladder by rapid assembly Click system. Only the Megaband® M8 joint kit or M8 nuts and bolts required

Curved safety edge which offers maximum protection.

Its design allows to make drops and changes of height with ease.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

Suitable for level changes in cable management in Megaband® ladders in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector.

Solutions



www.pemsa-rejiband.com



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

 60, 100, 120, 150	 100, 150, 200, 300, 400, 450, 500, 600, 750, 900	 300	 1	 20 J	 -50 / 150 °C
 A1 No combustible	ETIM 10 EC001535				

Product data

Ⓢ	Class	Ⓢ	Ⓢ	Ref	kg/u	Ⓜ
PG	Class 3	60	100	93612100	1,720	Steel with surface coating
PG	Class 3	60	150	93612150	1,850	Steel with surface coating
PG	Class 3	60	200	93612200	1,980	Steel with surface coating
PG	Class 3	60	300	93612300	2,220	Steel with surface coating
PG	Class 3	60	400	93612400	2,430	Steel with surface coating
PG	Class 3	60	450	93612450	2,560	Steel with surface coating
PG	Class 3	60	500	93612500	2,680	Steel with surface coating
PG	Class 3	60	600	93612600	2,930	Steel with surface coating
PG	Class 3	100	100	93614100	2,431	Steel with surface coating
PG	Class 3	100	150	93614150	2,561	Steel with surface coating
PG	Class 3	100	200	93614200	2,681	Steel with surface coating
PG	Class 3	100	300	93614300	2,931	Steel with surface coating
PG	Class 3	100	400	93614400	3,181	Steel with surface coating
PG	Class 3	100	450	93614450	3,321	Steel with surface coating
PG	Class 3	100	500	93614500	3,431	Steel with surface coating
PG	Class 3	100	600	93614600	3,681	Steel with surface coating
PG	Class 3	100	750	93614750	4,061	Steel with surface coating
PG	Class 3	100	900	93614900	4,431	Steel with surface coating
PG	Class 3	120	100	93615100	2,761	Steel with surface coating
PG	Class 3	120	150	93615150	2,901	Steel with surface coating
PG	Class 3	120	200	93615200	3,021	Steel with surface coating
PG	Class 3	120	300	93615300	3,271	Steel with surface coating
PG	Class 3	120	400	93615400	3,521	Steel with surface coating
PG	Class 3	120	450	93615450	3,651	Steel with surface coating
PG	Class 3	120	500	93615500	3,771	Steel with surface coating
PG	Class 3	120	600	93615600	4,021	Steel with surface coating
PG	Class 3	120	750	93615750	4,401	Steel with surface coating
PG	Class 3	120	900	93615900	4,771	Steel with surface coating
PG	Class 3	150	100	93616100	3,241	Steel with surface coating
PG	Class 3	150	150	93616150	3,371	Steel with surface coating
PG	Class 3	150	200	93616200	3,501	Steel with surface coating
PG	Class 3	150	300	93616300	3,751	Steel with surface coating
PG	Class 3	150	400	93616400	4,001	Steel with surface coating
PG	Class 3	150	450	93616450	4,131	Steel with surface coating
PG	Class 3	150	500	93616500	4,251	Steel with surface coating



90° Outside Riser MEGAband

⑤	⑥	⑦	⑧	Ref	kg/u	⑨
PG	Class 3	150	600	93616600	4,501	Steel with surface coating
PG	Class 3	150	750	93616750	4,881	Steel with surface coating
PG	Class 3	150	900	93616900	5,251	Steel with surface coating
GC	Class 6	60	100	93632100	1,810	Steel with surface coating
GC	Class 6	60	150	93632150	1,940	Steel with surface coating
GC	Class 6	60	200	93632200	2,080	Steel with surface coating
GC	Class 6	60	300	93632300	2,350	Steel with surface coating
GC	Class 6	60	400	93632400	2,570	Steel with surface coating
GC	Class 6	60	450	93632450	2,700	Steel with surface coating
GC	Class 6	60	500	93632500	2,840	Steel with surface coating
GC	Class 6	60	600	93632600	3,100	Steel with surface coating
GC	Class 6	100	100	93634100	2,571	Steel with surface coating
GC	Class 6	100	150	93634150	2,701	Steel with surface coating
GC	Class 6	100	200	93634200	2,841	Steel with surface coating
GC	Class 6	100	300	93634300	3,101	Steel with surface coating
GC	Class 6	100	400	93634400	3,371	Steel with surface coating
GC	Class 6	100	450	93634450	3,511	Steel with surface coating
GC	Class 6	100	500	93634500	3,631	Steel with surface coating
GC	Class 6	100	600	93634600	3,901	Steel with surface coating
GC	Class 6	100	750	93634750	4,311	Steel with surface coating
GC	Class 6	100	900	93634900	4,701	Steel with surface coating
GC	Class 6	120	100	93635100	2,931	Steel with surface coating
GC	Class 6	120	150	93635150	3,061	Steel with surface coating
GC	Class 6	120	200	93635200	3,201	Steel with surface coating
GC	Class 6	120	300	93635300	3,461	Steel with surface coating
GC	Class 6	120	400	93635400	3,731	Steel with surface coating
GC	Class 6	120	450	93635450	3,871	Steel with surface coating
GC	Class 6	120	500	93635500	4,001	Steel with surface coating
GC	Class 6	120	600	93635600	4,261	Steel with surface coating
GC	Class 6	120	750	93635750	4,671	Steel with surface coating
GC	Class 6	120	900	93635900	5,061	Steel with surface coating
GC	Class 6	150	100	93636100	3,441	Steel with surface coating
GC	Class 6	150	150	93636150	3,571	Steel with surface coating
GC	Class 6	150	200	93636200	3,711	Steel with surface coating
GC	Class 6	150	300	93636300	3,971	Steel with surface coating
GC	Class 6	150	400	93636400	4,241	Steel with surface coating
GC	Class 6	150	450	93636450	4,381	Steel with surface coating
GC	Class 6	150	500	93636500	4,511	Steel with surface coating
GC	Class 6	150	600	93636600	4,771	Steel with surface coating
GC	Class 6	150	750	93636750	5,181	Steel with surface coating
GC	Class 6	150	900	93636900	5,581	Steel with surface coating



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



90° Outside Riser MEGAband

⑤	Class	⑥	⑦	Ref	kg/u	⑧
INOX	Class 9C	60	100	93652100	1,700	Stainless steel AISI 304
INOX	Class 9C	60	150	93652150	1,820	Stainless steel AISI 304
INOX	Class 9C	60	200	93652200	1,950	Stainless steel AISI 304
INOX	Class 9C	60	300	93652300	2,200	Stainless steel AISI 304
INOX	Class 9C	60	400	93652400	2,400	Stainless steel AISI 304
INOX	Class 9C	60	450	93652450	2,520	Stainless steel AISI 304
INOX	Class 9C	60	500	93652500	2,650	Stainless steel AISI 304
INOX	Class 9C	60	600	93652600	2,900	Stainless steel AISI 304
INOX	Class 9C	100	100	93654100	2,401	Stainless steel AISI 304
INOX	Class 9C	100	150	93654150	2,521	Stainless steel AISI 304
INOX	Class 9C	100	200	93654200	2,651	Stainless steel AISI 304
INOX	Class 9C	100	300	93654300	2,901	Stainless steel AISI 304
INOX	Class 9C	100	400	93654400	3,151	Stainless steel AISI 304
INOX	Class 9C	100	450	93654450	3,291	Stainless steel AISI 304
INOX	Class 9C	100	500	93654500	3,401	Stainless steel AISI 304
INOX	Class 9C	100	600	93654600	3,651	Stainless steel AISI 304
INOX	Class 9C	100	750	93654750	4,031	Stainless steel AISI 304
INOX	Class 9C	100	900	93654900	4,401	Stainless steel AISI 304
INOX	Class 9C	120	100	93655100	2,741	Stainless steel AISI 304
INOX	Class 9C	120	150	93655150	2,861	Stainless steel AISI 304
INOX	Class 9C	120	200	93655200	2,991	Stainless steel AISI 304
INOX	Class 9C	120	300	93655300	3,241	Stainless steel AISI 304
INOX	Class 9C	120	400	93655400	3,491	Stainless steel AISI 304
INOX	Class 9C	120	450	93655450	3,621	Stainless steel AISI 304
INOX	Class 9C	120	500	93655500	3,741	Stainless steel AISI 304
INOX	Class 9C	120	600	93655600	3,991	Stainless steel AISI 304
INOX	Class 9C	120	750	93655750	4,371	Stainless steel AISI 304
INOX	Class 9C	120	900	93655900	4,741	Stainless steel AISI 304
INOX	Class 9C	150	100	93656100	3,221	Stainless steel AISI 304
INOX	Class 9C	150	150	93656150	3,341	Stainless steel AISI 304
INOX	Class 9C	150	200	93656200	3,471	Stainless steel AISI 304
INOX	Class 9C	150	300	93656300	3,721	Stainless steel AISI 304
INOX	Class 9C	150	400	93656400	3,971	Stainless steel AISI 304
INOX	Class 9C	150	450	93656450	4,101	Stainless steel AISI 304
INOX	Class 9C	150	500	93656500	4,221	Stainless steel AISI 304
INOX	Class 9C	150	600	93656600	4,471	Stainless steel AISI 304
INOX	Class 9C	150	750	93656750	4,851	Stainless steel AISI 304
INOX	Class 9C	150	900	93656900	5,221	Stainless steel AISI 304
INOX	Class 9D	60	100	93662100	1,700	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	93662150	1,820	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	93662200	1,950	Acero inoxidable AISI 316L



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



90° Outside Riser MEGAband

⑤	IEC 61537	⊞	⊞	Ref	kg/u	Ⓜ
INOX	Class 9D	60	300	93662300	2,200	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	93662400	2,400	Acero inoxidable AISI 316L
INOX	Class 9D	60	450	93662450	2,520	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	93662500	2,650	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	93662600	2,900	Acero inoxidable AISI 316L
INOX	Class 9D	100	100	93664100	2,401	Acero inoxidable AISI 316L
INOX	Class 9D	100	150	93664150	2,521	Acero inoxidable AISI 316L
INOX	Class 9D	100	200	93664200	2,651	Acero inoxidable AISI 316L
INOX	Class 9D	100	300	93664300	2,901	Acero inoxidable AISI 316L
INOX	Class 9D	100	400	93664400	3,151	Acero inoxidable AISI 316L
INOX	Class 9D	100	450	93664450	3,291	Acero inoxidable AISI 316L
INOX	Class 9D	100	500	93664500	3,401	Acero inoxidable AISI 316L
INOX	Class 9D	100	600	93664600	3,651	Acero inoxidable AISI 316L
INOX	Class 9D	100	750	93664750	4,031	Acero inoxidable AISI 316L
INOX	Class 9D	100	900	93664900	4,401	Acero inoxidable AISI 316L
INOX	Class 9D	120	100	93665100	2,741	Acero inoxidable AISI 316L
INOX	Class 9D	120	150	93665150	2,861	Acero inoxidable AISI 316L
INOX	Class 9D	120	200	93665200	2,991	Acero inoxidable AISI 316L
INOX	Class 9D	120	300	93665300	3,241	Acero inoxidable AISI 316L
INOX	Class 9D	120	400	93665400	3,491	Acero inoxidable AISI 316L
INOX	Class 9D	120	450	93665450	3,621	Acero inoxidable AISI 316L
INOX	Class 9D	120	500	93665500	3,741	Acero inoxidable AISI 316L
INOX	Class 9D	120	600	93665600	3,991	Acero inoxidable AISI 316L
INOX	Class 9D	120	750	93665750	4,371	Acero inoxidable AISI 316L
INOX	Class 9D	120	900	93665900	4,741	Acero inoxidable AISI 316L
INOX	Class 9D	150	100	93666100	3,221	Acero inoxidable AISI 316L
INOX	Class 9D	150	150	93666150	3,341	Acero inoxidable AISI 316L
INOX	Class 9D	150	200	93666200	3,471	Acero inoxidable AISI 316L
INOX	Class 9D	150	300	93666300	3,721	Acero inoxidable AISI 316L
INOX	Class 9D	150	400	93666400	3,901	Acero inoxidable AISI 316L
INOX	Class 9D	150	450	93666450	4,101	Acero inoxidable AISI 316L
INOX	Class 9D	150	500	93666500	4,221	Acero inoxidable AISI 316L
INOX	Class 9D	150	600	93666600	4,471	Acero inoxidable AISI 316L
INOX	Class 9D	150	750	93666750	4,851	Acero inoxidable AISI 316L
INOX	Class 9D	150	900	93666900	5,221	Acero inoxidable AISI 316L

⑤ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electroalvanised

BC - Electroalvanised Bichromate

BK8 - High Resistance Coating



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



90° Outside Riser MEGAband

- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic



Product applications



90° Outside Riser MEGAband

