


90° Bend Click



Description

Click system accessory made of steel for the creation of a 90° bend with Pemsaband® and Inducanal® tray. Available in various Protection Systems.

Advantages

The PG protection system is supplied flat for later assembly and provides savings on transportation and storage by reducing its volume.

Assembly by means of the quick-connect click system without the need for couplers. Patented Universal System that has holes compatible with the connection to other sheet metal tray.

Side flanges have the same profile as the straight section of the trays thus forming a continual view of the installation.

It has pre-formed holes in the sides to allow for the connection of fittings and conduits for the exit of cables.

Available in all sizes and protection systems: PG, GC and stainless steel AISI304 and AISI316.









Applications

Used for the creation of 90° bends in the Pemsaband® and Inducanal® ranges for the Support, management and distribution of Electrical and/or telecommunications cables in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

Solutions



Main technical characteristics

 35, 60, 100	 100, 150, 200, 300, 60, 400, 500, 600	 100	90	 1	 20 J	 IP44	 -50 / 150 °C
ETIM							
 A1 No combustible	EC002400						

Product data



Ⓢ	Class EC 61537	Ⓢ	Ⓢ	Ref	kg/L	Ⓜ
PG	Class 3	35	100	70020110	0.351	Steel with surface coating
PG	Class 3	35	150	70020115	0.542	Steel with surface coating
PG	Class 3	35	200	70020120	0.757	Steel with surface coating
PG	Class 3	35	300	70020130	1.280	Steel with surface coating
PG	Class 3	60	60	70020206	0.326	Steel with surface coating
PG	Class 3	60	100	70020210	0.463	Steel with surface coating
PG	Class 3	60	150	70020215	0.663	Steel with surface coating
PG	Class 3	60	200	70020220	0.894	Steel with surface coating
PG	Class 3	60	300	70020230	1.450	Steel with surface coating
PG	Class 3	60	400	70020240	2.130	Steel with surface coating
PG	Class 3	60	500	70020250	2.940	Steel with surface coating
PG	Class 3	60	600	70020260	3.860	Steel with surface coating
PG	Class 3	100	100	70020410	0.634	Steel with surface coating
PG	Class 3	100	200	70020420	1.120	Steel with surface coating
PG	Class 3	100	300	70020430	1.720	Steel with surface coating
PG	Class 3	100	400	70020440	2.450	Steel with surface coating
PG	Class 3	100	500	70020450	3.310	Steel with surface coating
PG	Class 3	100	600	70020460	4.290	Steel with surface coating
GC	Class 5	35	100	70030110	0.378	Steel with surface coating
GC	Class 5	35	150	70030115	0.583	Steel with surface coating
GC	Class 5	35	200	70030120	0.814	Steel with surface coating
GC	Class 5	35	300	70030130	1.380	Steel with surface coating
GC	Class 5	60	100	70030210	0.497	Steel with surface coating
GC	Class 5	60	150	70030215	0.713	Steel with surface coating
GC	Class 5	60	200	70030220	0.962	Steel with surface coating
GC	Class 5	60	300	70030230	1.560	Steel with surface coating
GC	Class 5	60	400	70030240	2.290	Steel with surface coating
GC	Class 5	60	500	70030250	3.160	Steel with surface coating
GC	Class 5	60	600	70030260	4.150	Steel with surface coating
GC	Class 5	100	100	70030410	0.682	Steel with surface coating
GC	Class 5	100	200	70030420	1.210	Steel with surface coating
GC	Class 5	100	300	70030430	1.850	Steel with surface coating
GC	Class 5	100	400	70030440	2.640	Steel with surface coating
GC	Class 5	100	500	70030450	3.560	Steel with surface coating
GC	Class 5	100	600	70030460	4.610	Steel with surface coating



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Reijband, Pemsaband, Inducanal, Reijtech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Ⓢ	EN 61537			Ref	kg/u	Ⓜ
INOX	Class 9C	60	100	70050210	0.405	Stainless steel AISI 304
INOX	Class 9C	60	150	70050215	0.580	Stainless steel AISI 304
INOX	Class 9C	60	200	70050220	0.783	Stainless steel AISI 304
INOX	Class 9C	60	300	70050230	1.270	Stainless steel AISI 304
INOX	Class 9C	60	400	70050240	1.860	Stainless steel AISI 304
INOX	Class 9C	60	500	70050250	2.570	Stainless steel AISI 304
INOX	Class 9C	60	600	70050260	3.380	Stainless steel AISI 304
INOX	Class 9D	60	100	70060210	0.405	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	70060215	0.580	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	70060220	0.783	Acero inoxidable AISI 316L
INOX	Class 9D	60	300	70060230	0.001	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	70060240	1.860	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	70060250	2.570	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	70060260	3.380	Acero inoxidable AISI 316L
AZ+	Class 8	60	60	82003782	0.326	Steel with surface coating
AZ+	Class 8	60	100	82003783	0.463	Steel with surface coating
AZ+	Class 8	60	150	82003784	0.663	Steel with surface coating
AZ+	Class 8	60	200	82003785	0.894	Steel with surface coating
AZ+	Class 8	60	300	82003786	1.450	Steel with surface coating
AZ+	Class 8	60	400	82003787	2.130	Steel with surface coating
AZ+	Class 8	60	500	82003788	2.940	Steel with surface coating
AZ+	Class 8	60	600	82003789	3.860	Steel with surface coating

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

90° Bend Click

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

