

Crossover MEGAband





Description

Metal accessory for the creation of crossovers between two lines of Megaband® ladder. Quick connection assembly using the click system. Made of steel, available in different sizes and Protection Systems. Bending radius 300 mm. Check availability of 600 mm radius.

Advantages

Connection to ladder by rapid assembly Click system. Only the Megaband® M8 joint kit or M8 nuts and bolts required

Curved safety edge which offers maximum protection.

Divides the electrical installation from one to three different lines.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

Suitable for the creation of Crossovers with Megaband® Ladders in the conduction of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector.

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

60, 100, 120, 150 | 100, 150, 200, 300, 400, 450, 500, 600, 750, 900 | 300 | 1 | 20 J | -50 / 150 °C

A1 No combustible | ETIM 10 EC001559

Product data

PG	Class 3	60	100	93212100	4,240	Steel with surface coating
PG	Class 3	60	150	93212150	4,510	Steel with surface coating
PG	Class 3	60	200	93212200	4,800	Steel with surface coating
PG	Class 3	60	300	93212300	5,370	Steel with surface coating
PG	Class 3	60	400	93212400	7,690	Steel with surface coating
PG	Class 3	60	450	93212450	8,040	Steel with surface coating
PG	Class 3	60	500	93212500	8,340	Steel with surface coating
PG	Class 3	60	600	93212600	9,120	Steel with surface coating
PG	Class 3	100	100	93214100	5,701	Steel with surface coating
PG	Class 3	100	150	93214150	5,981	Steel with surface coating
PG	Class 3	100	200	93214200	6,261	Steel with surface coating
PG	Class 3	100	300	93214300	6,831	Steel with surface coating
PG	Class 3	100	400	93214400	9,151	Steel with surface coating
PG	Class 3	100	450	93214450	9,501	Steel with surface coating
PG	Class 3	100	500	93214500	9,901	Steel with surface coating
PG	Class 3	100	600	93214600	10,601	Steel with surface coating
PG	Class 3	100	750	93214750	11,501	Steel with surface coating
PG	Class 3	100	900	93214900	12,901	Steel with surface coating
PG	Class 3	120	100	93215100	6,451	Steel with surface coating
PG	Class 3	120	150	93215150	6,731	Steel with surface coating
PG	Class 3	120	200	93215200	7,011	Steel with surface coating
PG	Class 3	120	300	93215300	7,581	Steel with surface coating
PG	Class 3	120	400	93215400	9,901	Steel with surface coating
PG	Class 3	120	450	93215450	10,201	Steel with surface coating
PG	Class 3	120	500	93215500	10,501	Steel with surface coating
PG	Class 3	120	600	93215600	11,301	Steel with surface coating
PG	Class 3	120	750	93215750	12,301	Steel with surface coating
PG	Class 3	120	900	93215900	13,601	Steel with surface coating
PG	Class 3	150	100	93216100	7,571	Steel with surface coating
PG	Class 3	150	150	93216150	7,851	Steel with surface coating
PG	Class 3	150	200	93216200	8,141	Steel with surface coating
PG	Class 3	150	300	93216300	8,701	Steel with surface coating
PG	Class 3	150	400	93216400	11,001	Steel with surface coating
PG	Class 3	150	450	93216450	11,401	Steel with surface coating
PG	Class 3	150	500	93216500	11,701	Steel with surface coating

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

S	IEC 61537			REF	kg/u	M
PG	Class 3	150	600	93216600	12,501	Steel with surface coating
PG	Class 3	150	750	93216750	13,401	Steel with surface coating
PG	Class 3	150	900	93216900	14,701	Steel with surface coating
GC	Class 6	60	100	93232100	4,380	Steel with surface coating
GC	Class 6	60	150	93232150	4,670	Steel with surface coating
GC	Class 6	60	200	93232200	4,980	Steel with surface coating
GC	Class 6	60	300	93232300	5,590	Steel with surface coating
GC	Class 6	60	400	93232400	7,470	Steel with surface coating
GC	Class 6	60	450	93232450	7,810	Steel with surface coating
GC	Class 6	60	500	93232500	8,130	Steel with surface coating
GC	Class 6	60	600	93232600	8,770	Steel with surface coating
GC	Class 6	100	100	93234100	5,941	Steel with surface coating
GC	Class 6	100	150	93234150	6,231	Steel with surface coating
GC	Class 6	100	200	93234200	6,541	Steel with surface coating
GC	Class 6	100	300	93234300	7,151	Steel with surface coating
GC	Class 6	100	400	93234400	9,031	Steel with surface coating
GC	Class 6	100	450	93234450	9,371	Steel with surface coating
GC	Class 6	100	500	93234500	9,691	Steel with surface coating
GC	Class 6	100	600	93234600	10,301	Steel with surface coating
GC	Class 6	100	750	93234750	11,301	Steel with surface coating
GC	Class 6	100	900	93234900	12,801	Steel with surface coating
GC	Class 6	120	100	93235100	6,741	Steel with surface coating
GC	Class 6	120	150	93235150	7,031	Steel with surface coating
GC	Class 6	120	200	93235200	7,341	Steel with surface coating
GC	Class 6	120	300	93235300	7,951	Steel with surface coating
GC	Class 6	120	400	93235400	9,831	Steel with surface coating
GC	Class 6	120	450	93235450	10,201	Steel with surface coating
GC	Class 6	120	500	93235500	12,101	Steel with surface coating
GC	Class 6	120	600	93235600	12,781	Steel with surface coating
GC	Class 6	120	750	93235750	13,701	Steel with surface coating
GC	Class 6	120	900	93235900	15,101	Steel with surface coating
GC	Class 6	150	100	93236100	7,941	Steel with surface coating
GC	Class 6	150	150	93236150	8,231	Steel with surface coating
GC	Class 6	150	200	93236200	8,541	Steel with surface coating
GC	Class 6	150	300	93236300	9,151	Steel with surface coating
GC	Class 6	150	400	93236400	11,001	Steel with surface coating
GC	Class 6	150	450	93236450	11,401	Steel with surface coating
GC	Class 6	150	500	93236500	13,701	Steel with surface coating
GC	Class 6	150	600	93236600	14,301	Steel with surface coating
GC	Class 6	150	750	93236750	15,301	Steel with surface coating
GC	Class 6	150	900	93236900	16,701	Steel with surface coating

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

S	IEC 61537			REF	kg/u	M
INOX	Class 9C	60	100	93252100	4,100	Stainless steel AISI 304
INOX	Class 9C	60	150	93252150	4,360	Stainless steel AISI 304
INOX	Class 9C	60	200	93252200	4,660	Stainless steel AISI 304
INOX	Class 9C	60	300	93252300	5,230	Stainless steel AISI 304
INOX	Class 9C	60	400	93252400	6,990	Stainless steel AISI 304
INOX	Class 9C	60	450	93252450	7,300	Stainless steel AISI 304
INOX	Class 9C	60	500	93252500	7,600	Stainless steel AISI 304
INOX	Class 9C	60	600	93252600	8,200	Stainless steel AISI 304
INOX	Class 9C	100	100	93254100	5,561	Stainless steel AISI 304
INOX	Class 9C	100	150	93254150	5,831	Stainless steel AISI 304
INOX	Class 9C	100	200	93254200	6,121	Stainless steel AISI 304
INOX	Class 9C	100	300	93254300	6,691	Stainless steel AISI 304
INOX	Class 9C	100	400	93254400	8,451	Stainless steel AISI 304
INOX	Class 9C	100	450	93254450	8,761	Stainless steel AISI 304
INOX	Class 9C	100	500	93254500	9,061	Stainless steel AISI 304
INOX	Class 9C	100	600	93254600	9,661	Stainless steel AISI 304
INOX	Class 9C	100	750	93254750	10,601	Stainless steel AISI 304
INOX	Class 9C	100	900	93254900	12,001	Stainless steel AISI 304
INOX	Class 9C	120	100	93255100	6,311	Stainless steel AISI 304
INOX	Class 9C	120	150	93255150	6,581	Stainless steel AISI 304
INOX	Class 9C	120	200	93255200	6,871	Stainless steel AISI 304
INOX	Class 9C	120	300	93255300	7,441	Stainless steel AISI 304
INOX	Class 9C	120	400	93255400	9,201	Stainless steel AISI 304
INOX	Class 9C	120	450	93255450	9,511	Stainless steel AISI 304
INOX	Class 9C	120	500	93255500	9,811	Stainless steel AISI 304
INOX	Class 9C	120	600	93255600	10,401	Stainless steel AISI 304
INOX	Class 9C	120	750	93255750	11,301	Stainless steel AISI 304
INOX	Class 9C	120	900	93255900	12,601	Stainless steel AISI 304
INOX	Class 9C	150	100	93256100	7,431	Stainless steel AISI 304
INOX	Class 9C	150	150	93256150	7,701	Stainless steel AISI 304
INOX	Class 9C	150	200	93256200	7,991	Stainless steel AISI 304
INOX	Class 9C	150	300	93256300	8,561	Stainless steel AISI 304
INOX	Class 9C	150	400	93256400	10,301	Stainless steel AISI 304
INOX	Class 9C	150	450	93256450	10,601	Stainless steel AISI 304
INOX	Class 9C	150	500	93256500	10,901	Stainless steel AISI 304
INOX	Class 9C	150	600	93256600	11,501	Stainless steel AISI 304
INOX	Class 9C	150	750	93256750	12,501	Stainless steel AISI 304
INOX	Class 9C	150	900	93256900	13,801	Stainless steel AISI 304
INOX	Class 9D	60	100	93262100	4,100	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	93262150	4,360	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	93262200	4,660	Acero inoxidable AISI 316L

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Ⓢ	IEC 61537			REF	kg/u	Ⓜ
INOX	Class 9D	60	300	93262300	5,230	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	93262400	6,990	Acero inoxidable AISI 316L
INOX	Class 9D	60	450	93262450	7,300	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	93262500	7,600	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	93262600	8,200	Acero inoxidable AISI 316L
INOX	Class 9D	100	100	93264100	5,561	Acero inoxidable AISI 316L
INOX	Class 9D	100	150	93264150	5,831	Acero inoxidable AISI 316L
INOX	Class 9D	100	200	93264200	6,121	Acero inoxidable AISI 316L
INOX	Class 9D	100	300	93264300	6,691	Acero inoxidable AISI 316L
INOX	Class 9D	100	400	93264400	8,451	Acero inoxidable AISI 316L
INOX	Class 9D	100	450	93264450	8,761	Acero inoxidable AISI 316L
INOX	Class 9D	100	500	93264500	9,061	Acero inoxidable AISI 316L
INOX	Class 9D	100	600	93264600	9,661	Acero inoxidable AISI 316L
INOX	Class 9D	100	750	93264750	10,601	Acero inoxidable AISI 316L
INOX	Class 9D	100	900	93264900	12,001	Acero inoxidable AISI 316L
INOX	Class 9D	120	100	93265100	6,311	Acero inoxidable AISI 316L
INOX	Class 9D	120	150	93265150	6,581	Acero inoxidable AISI 316L
INOX	Class 9D	120	200	93265200	6,871	Acero inoxidable AISI 316L
INOX	Class 9D	120	300	93265300	7,441	Acero inoxidable AISI 316L
INOX	Class 9D	120	400	93265400	9,201	Acero inoxidable AISI 316L
INOX	Class 9D	120	450	93265450	9,511	Acero inoxidable AISI 316L
INOX	Class 9D	120	500	93265500	9,811	Acero inoxidable AISI 316L
INOX	Class 9D	120	600	93265600	10,401	Acero inoxidable AISI 316L
INOX	Class 9D	120	750	93265750	11,301	Acero inoxidable AISI 316L
INOX	Class 9D	120	900	93265900	12,601	Acero inoxidable AISI 316L
INOX	Class 9D	150	100	93266100	7,431	Acero inoxidable AISI 316L
INOX	Class 9D	150	150	93266150	7,701	Acero inoxidable AISI 316L
INOX	Class 9D	150	200	93266200	7,991	Acero inoxidable AISI 316L
INOX	Class 9D	150	300	93266300	8,561	Acero inoxidable AISI 316L
INOX	Class 9D	150	400	93266400	10,301	Acero inoxidable AISI 316L
INOX	Class 9D	150	450	93266450	10,601	Acero inoxidable AISI 316L
INOX	Class 9D	150	500	93266500	10,901	Acero inoxidable AISI 316L
INOX	Class 9D	150	600	93266600	11,501	Acero inoxidable AISI 316L
INOX	Class 9D	150	750	93266750	12,501	Acero inoxidable AISI 316L
INOX	Class 9D	150	900	93266900	13,801	Acero inoxidable AISI 316L

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene


NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product applications



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."