
28/03/2024

1/5

Crossover Click















Description

Metal accessory to create a crossover between two lines of Pemsaband® and Inducanal® trays allowing for cables to re-route in three separate ways. Quick connection assembly using the Click system without couplers. Made of steel in various sizes and Protection Systems.

Advantages

The PG protection system is supplied flat for later assembly and provides savings on transportation and storage by reducing its volume.

Assembly by means of the quick-connect click system without the need for couplers. Patented Universal System that has holes compatible with the connection to other sheet metal tray.

Side flanges have the same profile as the straight section of the trays thus forming a continual view of the installation.

It has pre-formed holes in the sides to allow for the connection of fittings and conduits for the exit of cables.

Available in all sizes and protection systems: PG, GC and stainless steel AlSI304 and AlSI316.

Applications

Used for the creation of a crossover in the Pemsaband® One perforated and solid ranges for the Support, management and distribution of Electrical and/or telecommunications cables in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

Solutions













28/03/2024

2/5

Crossover Click

Main technical characteristics

⊜ 35, 60, 100

100, 150, 200, 300, 400, 500, 600

<u>100</u>

₩ 1 🖳 20 J

³ -50 °C

X A1 No combustible

ETIM EC001542

Product	data
FIUUUCL	uata

S	Class IEC 61537			Ref	kg/u	∞
PG	Class 3	35	100	70024110	0.429	Steel with surface coating
PG	Class 3	35	150	70024115	0.620	Steel with surface coating
PG	Class 3	35	200	70024120	0.828	Steel with surface coating
PG	Class 3	35	300	70024130	1.530	Steel with surface coating
PG	Class 3	60	100	70024210	0.515	Steel with surface coating
PG	Class 3	60	150	70024215	0.699	Steel with surface coating
PG	Class 3	60	200	70024220	0.907	Steel with surface coating
PG	Class 3	60	300	70024230	1.620	Steel with surface coating
PG	Class 3	60	400	70024240	2.620	Steel with surface coating
PG	Class 3	60	500	70024250	3.530	Steel with surface coating
PG	Class 3	60	600	70024260	4.560	Steel with surface coating
PG	Class 3	100	100	70024410	0.703	Steel with surface coating
PG	Class 3	100	200	70024420	1.280	Steel with surface coating
PG	Class 3	100	300	70024430	1.800	Steel with surface coating
PG	Class 3	100	400	70024440	2.820	Steel with surface coating
PG	Class 3	100	500	70024450	3.730	Steel with surface coating
PG	Class 3	100	600	70024460	4.760	Steel with surface coating
GC	Class 5	35	100	70034110	0.544	Steel with surface coating
GC	Class 5	35	150	70034115	0.786	Steel with surface coating
GC	Class 5	35	200	70034120	1.051	Steel with surface coating
GC	Class 5	35	300	70034130	1.671	Steel with surface coating
GC	Class 5	60	100	70034210	0.653	Steel with surface coating
GC	Class 5	60	150	70034215	0.886	Steel with surface coating
GC	Class 5	60	200	70034220	1.151	Steel with surface coating
GC	Class 5	60	300	70034230	1.771	Steel with surface coating
GC	Class 5	60	400	70034240	2.831	Steel with surface coating
GC	Class 5	60	500	70034250	3.811	Steel with surface coating
GC	Class 5	60	600	70034260	4.921	Steel with surface coating
GC	Class 5	100	100	70034410	0.892	Steel with surface coating
GC	Class 5	100	200	70034420	1.391	Steel with surface coating
GC	Class 5	100	300	70034430	1.961	Steel with surface coating
GC	Class 5	100	400	70034440	3.051	Steel with surface coating
GC	Class 5	100	500	70034450	4.031	Steel with surface coating
GC	Class 5	100	600	70034460	5.141	Steel with surface coating
INOX	Class 9C	60	100	70054210	0.416	Stainless steel AISI 304
INOX	Class 9C	60	150	70054215	0.565	Stainless steel AISI 304













Cable Tray Accessories **Crossover Click** 28/03/2024

3/5

S	Class IEC 61537			Ref	kg/u	⊗
INOX	Class 9C	60	200	70054220	0.734	Stainless steel AISI 304
INOX	Class 9C	60	300	70054230	1.130	Stainless steel AISI 304
INOX	Class 9C	60	400	70054240	1.600	Stainless steel AISI 304
INOX	Class 9C	60	500	70054250	2.160	Stainless steel AISI 304
INOX	Class 9C	60	600	70054260	2.790	Stainless steel AISI 304
INOX	Class 9D	60	100	70064210	0.416	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	70064215	0.565	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	70064220	0.734	Acero inoxidable AISI 316L
INOX	Class 9D	60	300	70064230	1.130	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	70064240	1.600	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	70064250	2.160	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	70064260	2.790	Acero inoxidable AISI 316L

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic
















28/03/2024

4/5

Product applications

Crossover Click















28/03/2024

5/5

Crossover Click

