

# Crossover Click






## Description

Metal accessory to create a crossover between two lines of Pemsaband® and Inducanal® trays allowing for cables to re-route in three separate ways. Quick connection assembly using the Click system without couplers. Made of steel in various sizes and Protection Systems.

## Advantages

The PG protection system is supplied flat for later assembly and provides savings on transportation and storage by reducing its volume.

Assembly by means of the quick-connect click system without the need for couplers. Patented Universal System that has holes compatible with the connection to other sheet metal tray.

Side flanges have the same profile as the straight section of the trays thus forming a continual view of the installation.

It has pre-formed holes in the sides to allow for the connection of fittings and conduits for the exit of cables.

Available in all sizes and protection systems: PG, GC and stainless steel AISI304 and AISI316.

## Applications

Used for the creation of a crossover in the Pemsaband® One perforated and solid ranges for the Support, management and distribution of Electrical and/or telecommunications cables in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

## Solutions



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

## Main technical characteristics

35, 60, 100 | 100, 150, 200, 300, 400, 500, 600 | 100 | 1 | 20 J | IP44 | -50 ºC | A1 No combustible | ETIM 10 EC001542

## Product data

| S | Class IEC 61537 | | | REF | kg/u | M |
|---|---|---|---|---|---|---|
| PG | Class 3 | 35 | 100 | 70024110 | 0,547 | Steel with surface coating |
| PG | Class 3 | 35 | 150 | 70024115 | 0,798 | Steel with surface coating |
| PG | Class 3 | 35 | 200 | 70024120 | 1,070 | Steel with surface coating |
| PG | Class 3 | 35 | 300 | 70024130 | 1,700 | Steel with surface coating |
| PG | Class 3 | 60 | 100 | 70024210 | 0,680 | Steel with surface coating |
| PG | Class 3 | 60 | 150 | 70024215 | 0,920 | Steel with surface coating |
| PG | Class 3 | 60 | 200 | 70024220 | 1,190 | Steel with surface coating |
| PG | Class 3 | 60 | 300 | 70024230 | 1,820 | Steel with surface coating |
| PG | Class 3 | 60 | 400 | 70024240 | 2,570 | Steel with surface coating |
| PG | Class 3 | 60 | 500 | 70024250 | 3,460 | Steel with surface coating |
| PG | Class 3 | 60 | 600 | 70024260 | 4,450 | Steel with surface coating |
| PG | Class 3 | 100 | 100 | 70024410 | 0,887 | Steel with surface coating |
| PG | Class 3 | 100 | 200 | 70024420 | 1,400 | Steel with surface coating |
| PG | Class 3 | 100 | 300 | 70024430 | 2,020 | Steel with surface coating |
| PG | Class 3 | 100 | 400 | 70024440 | 2,780 | Steel with surface coating |
| PG | Class 3 | 100 | 500 | 70024450 | 3,670 | Steel with surface coating |
| PG | Class 3 | 100 | 600 | 70024460 | 4,660 | Steel with surface coating |
| GC | Class 5 | 35 | 100 | 70034110 | 0,589 | Steel with surface coating |
| GC | Class 5 | 35 | 150 | 70034115 | 0,858 | Steel with surface coating |
| GC | Class 5 | 35 | 200 | 70034120 | 1,150 | Steel with surface coating |
| GC | Class 5 | 35 | 300 | 70034130 | 1,830 | Steel with surface coating |
| GC | Class 5 | 60 | 100 | 70034210 | 0,751 | Steel with surface coating |
| GC | Class 5 | 60 | 150 | 70034215 | 1,020 | Steel with surface coating |
| GC | Class 5 | 60 | 200 | 70034220 | 1,310 | Steel with surface coating |
| GC | Class 5 | 60 | 300 | 70034230 | 1,960 | Steel with surface coating |
| GC | Class 5 | 60 | 400 | 70034240 | 2,760 | Steel with surface coating |
| GC | Class 5 | 60 | 500 | 70034250 | 3,720 | Steel with surface coating |
| GC | Class 5 | 60 | 600 | 70034260 | 4,780 | Steel with surface coating |
| GC | Class 5 | 100 | 100 | 70034410 | 0,953 | Steel with surface coating |
| GC | Class 5 | 100 | 200 | 70034420 | 1,500 | Steel with surface coating |
| GC | Class 5 | 100 | 300 | 70034430 | 2,230 | Steel with surface coating |
| GC | Class 5 | 100 | 400 | 70034440 | 2,990 | Steel with surface coating |
| GC | Class 5 | 100 | 500 | 70034450 | 3,940 | Steel with surface coating |
| GC | Class 5 | 100 | 600 | 70034460 | 5,000 | Steel with surface coating |
| INOX | Class 9C | 60 | 100 | 70054210 | 0,595 | Stainless steel AISI 304 |
| INOX | Class 9C | 60 | 150 | 70054215 | 0,805 | Stainless steel AISI 304 |



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

# Crossover Click

| Ⓢ | Class IEC 61537 | | | REF | kg/u | Ⓜ |
|---|---|---|---|---|---|---|
| INOX | Class 9C | 60 | 200 | 70054220 | 1,040 | Stainless steel AISI 304 |
| INOX | Class 9C | 60 | 300 | 70054230 | 1,590 | Stainless steel AISI 304 |
| INOX | Class 9C | 60 | 400 | 70054240 | 2,250 | Stainless steel AISI 304 |
| INOX | Class 9C | 60 | 500 | 70054250 | 3,030 | Stainless steel AISI 304 |
| INOX | Class 9C | 60 | 600 | 70054260 | 3,890 | Stainless steel AISI 304 |
| INOX | Class 9D | 60 | 100 | 70064210 | 0,595 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 150 | 70064215 | 0,805 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 200 | 70064220 | 1,040 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 300 | 70064230 | 1,590 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 400 | 70064240 | 2,250 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 500 | 70064250 | 3,030 | Acero inoxidable AISI 316L |
| INOX | Class 9D | 60 | 600 | 70064260 | 3,890 | Acero inoxidable AISI 316L |

## Ⓢ Protection System

**CU** - Copper electroplated

**PG** - Pregalvanised

**EZ** - Electrogalvanised

**BC** - Electrogalvanised Bichromate

**BK8** - High Resistance Coating

**GC** - Hot Dip Galvanising

**INOX** - Stainless Steel

**PT** - Polyester Paint

**AL** - Aluminum

**LN** - Brass or Nickel-plated brass

## Ⓜ Insulating materials

**PC+ABS** - Halogen Free Polycarbonate + ABS

**PVC** - Polyvinyl Chloride

**PP** - Halogen Free Polypropylene

**PA6** - Halogen Free Polyamide 6

**PA12** - Halogen Free Polyamide 12

**PU** - Polyurethane

**PE** - Polyethylene

**NBR** - NBR rubber

**PET** - Thermoplastic Polyester


**TPV** - Thermoplastic



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

# Crossover Click


## Product applications





Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

# Crossover Click





Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."