


Angle **tray** Fastener



Description

Fixing for the support of Rejiband® Angle wire mesh tray to a beam to ensure a perfect fit. Made of steel and with EZ or BC Protection System.

Advantages

Quick assembly, screw fastening.

Saves on time and installation costs.

High anti-corrosion properties.

For the the fixing of straight sections.

For the correct support of the angled tray on the beam it is necessary to use a fixing every 1 metre.

Applications

Used for the fixing of straight sections of Angle tray to a beam for the management of wiring in indoor installations with dry atmospheres and no contaminants.

Solutions



Main technical characteristics

ETIM 10
EC000474

Product data

		Ref	kg/u				
EZ	Class 3	67010051	0,172	10	Steel with surface coating	-50 / 150 °C	A1 No combustible

 Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic



Product applications

