


Hold Down Clamp (Ref: 93910021)



Description

Metallic fixing for the clamping of Megaband® ladder to the support with M8 and M10 nuts and bolts. With PG protection system, PG3 finish. Suitable for all ladder sizes. Made of steel and available in various Protection Systems.

Advantages

Connect with Megaband M8 joint kit or M8 and M10 nuts and bolts.

Available in various protection systems: PG, GC, BK8, AZ+ and stainless steel AISI 304 and AISI 316L.

Electrical continuity guaranteed according to standard IEC61537.

Improved fixing of the ladder to support increased loads.

For assembly you need only two pieces per support.

Applications

Used for the fixing of Megaband® ladder to supports for cable management in electrical, telecommunications and industrial installations, infrastructures and civil works, tertiary sector.

Solutions



Product data			
ETIM 10		EC001005	
Huella de CO2. GWP A1-A3 (kg CO2 eq.)		0,136	
Protection System		PG	
Finish		PG3, Pregalvanised	
Resistance Class		Class 3	
kg/u		0,042	
u		50	
Material		Steel with surface coating	
Working temperature range (°C)		-50 / 150 °C	
Fire resistance		A1 No combustible	

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Product applications

