



Ceiling Rod Bracket (Ref: 67030060)

1/4



Description

Metal support for the ceiling mounting of Rejiband® wire mesh trays and Pemsaband® sheet trays by means of a M8 or M10 threaded rod in electrical or telecommunications indoor installations. Made of steel with PG Protection System.

Advantages

PG protection system, according to BS-EN-10142, suitable for indoor installations in industrial environments. Corrosion resistance class 3.

Suitable for the support of all ranges of cable trays.

Suitable for ceiling installations with confined spaces, thanks to its reduced dimensions.

CE conformity to directive 2014/35 / EU.

Connection with M8 or M10 threaded rod using hexagonal nuts.

Applications

Suitable for supporting medium loads of cable trays to the ceiling by means of a rod for electrical installations and / or of telecommunications in: Civil works, tunnels, car parks, public buildings, commercial centres, large infrastructures such as: Airports, underground, rail, tertiary sector, industrial naval, petrochemical, textile, chemical and food applications.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product data			
Protection System	PG	Material	Steel with surface coating
Finish	PG3, Pregalvanised	SWL (kg)	275
Resistance Class	Class 3	Working temperature range (°C)	-50 / 150 °C
kg/u	0.098	Fire resistance	A1 No combustible
u	10		

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum


LN - Brass or Nickel-plated brass

Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Ceiling Rod Bracket (Ref: 67030060)

Product applications



Ceiling Rod Bracket (Ref: 67030060)

