


O-Ring

1/3



Description

Advantages

Applications

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



O-Ring

Main technical characteristics

Colour	Black RAL 9005		PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG48, M12, M16, M20, M25, M32, M40, M50, M63		NBR
IP68	-25 / 120 °C	Flame retardant	ETIM 10 EC001181		

Product data

		C _{mm}	Ref	kg/u	
PG 7	9	1.5	39096007	0,000	500
PG 9	12	1.5	39096009	0,000	500
PG11	16	1.5	39096011	0,000	500
PG13	17.2	1.8	39096013	0,000	500
PG16	22	2	39096016	0,000	500
PG21	29	2	39096021	0,000	500
PG29	33	2	39096029	0,000	250
PG36	43	2	39096036	0,001	100
PG48	55	2	39096048	0,001	50
M12	9	1.5	39096112	8,000	500
M16	12	1.5	39096116	0,000	500
M20	17.2	1.8	39096120	0,000	500
M25	22	2	39096125	0,000	500
M32	29	2	39096132	0,000	250
M40	35	2	39096140	0,001	50
M50	43	2	39096150	0,001	50
M63	55	2	39096163	0,001	50

Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



O-Ring

- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

