1/2

Megaband Marine Joints 29/03/2024

Hexagonal Nut M8









Description

Hexagonal metal nut that, together with the bolt, allows the fixing of joints, supports and channel structures for Megaband® Marine ladder installations. Available in M8.

Advantages

Excellent corrosion resistance and mechanical properties

CE certified in compliance with the low voltage directive 2014/35 / ${\rm EU}$

SAFECu Protection system, copper-plated treatment, which confers hygienic properties by eliminating bacteria, viruses and fungi

Applications

Solutions















29/03/2024 Megaband Marine Joints

Hexagonal Nut M8

2/2

Main technical characteristics

ETIM

Product data

| S | Class IEC 61537 | | Ref | kg/u | R | ® | T | <u> </u> |
|------|--------------------|-----|----------|-------|-----|----------------------------|--------------|-------------------|
| INOX | Class 9D | M 8 | 67060062 | 0.005 | 100 | Acero inoxidable AISI 316L | -50 / 150 °C | A1 No combustible |

S Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

M Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic











