Reducer PEMSAband



Description

Advantages

Applications

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

60, 100, 120 | 100, 150, 200, 300, 400, 500, 600, 450 | 1 | Steel with surface coating | IP44 | -50 / 150 °C

A1 No combustible | ETIM 10 EC002413

Product data

PG	Class 3	60	100	71022010	0,127
PG	Class 3	60	150	71022015	0,181
PG	Class 3	60	200	71022020	0,254
PG	Class 3	60	300	71022030	0,372
PG	Class 3	60	400	71022040	0,470
PG	Class 3	60	500	71022050	0,585
PG	Class 3	60	600	71022060	0,693
PG	Class 3	100	100	71024010	0,178
PG	Class 3	100	150	71024015	0,244
PG	Class 3	100	200	71024020	0,322
PG	Class 3	100	300	71024030	0,460
PG	Class 3	100	400	71024040	0,595
PG	Class 3	100	450	71024045	0,669
PG	Class 3	100	500	71024050	0,735
PG	Class 3	100	600	71024060	0,869
PG	Class 3	120	100	71025010	0,203
PG	Class 3	120	150	71025015	0,276
PG	Class 3	120	200	71025020	0,360
PG	Class 3	120	300	71025030	0,510
PG	Class 3	120	400	71025040	0,659
PG	Class 3	120	450	71025045	0,738
PG	Class 3	120	500	71025050	0,811
PG	Class 3	120	600	71025060	0,957
GC	Class 5	60	100	71032010	0,137
GC	Class 5	60	150	71032015	0,194
GC	Class 5	60	200	71032020	0,273
GC	Class 5	60	300	71032030	0,411
GC	Class 5	60	400	71032040	0,506
GC	Class 5	60	450	71032045	0,570
GC	Class 5	60	500	71032050	0,628
GC	Class 5	60	600	71032060	0,746
GC	Class 5	100	100	71034010	0,191
GC	Class 5	100	150	71034015	0,263
GC	Class 5	100	200	71034020	0,346
GC	Class 5	100	300	71034030	0,494

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Reducer PEMSAband

Ⓢ	Class IEC 61537			REF	kg/u
GC	Class 5	100	400	71034040	0,640
GC	Class 5	100	450	71034045	0,719
GC	Class 5	100	500	71034050	0,791
GC	Class 5	100	600	71034060	0,935
GC	Class 5	120	100	71035010	0,218
GC	Class 5	120	150	71035015	0,296
GC	Class 5	120	200	71035020	0,387
GC	Class 5	120	300	71035030	0,548
GC	Class 5	120	400	71035040	0,708
GC	Class 5	120	450	71035045	0,793
GC	Class 5	120	500	71035050	0,872
GC	Class 5	120	600	71035060	1,030
AZ+	Class 8	60	100	82003806	0,127
AZ+	Class 8	60	150	82003807	0,181
AZ+	Class 8	60	200	82003808	0,254
AZ+	Class 8	60	300	82003809	0,372
AZ+	Class 8	60	400	82003810	0,470
AZ+	Class 8	60	500	82003811	0,585
AZ+	Class 8	60	600	82003812	0,693
AZ+	Class 8	100	100	82004307	0,178
AZ+	Class 8	100	200	82004308	0,322
AZ+	Class 8	100	300	82004309	0,460
AZ+	Class 8	100	400	82004310	0,595
AZ+	Class 8	100	500	82004311	0,735
AZ+	Class 8	100	600	82004312	0,869

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."