


Pendant Omega SPLUS (Ref: 82003274)

1/24



Description

Omega profile pendulum for ceiling mounting Rejiband® SAFECu trays. Width 400 mm. Ceiling fixing system that allows different structures to be configured individually or with the help of the omega SPLUS support. Available in lengths of 400, 500 and 600mm. Made from steel with CU protection system.

Advantages

Suitable as ceiling fixing of cable trays for antimicrobial and COVID-free cable management systems

Available in lengths 400 to 600 mm.

CE conformity in accordance to the low voltage directive 2014 /35 /UE and the international product standard IEC 61537

Permanent 24/7 protection without any additional maintenance

SAFECu Protection system, copper-plated treatment, which confers hygienic properties by eliminating bacteria, viruses and fungi

Applications

Adecuado para soportar cargas medias en bandejas portacables Rejiband® SAFECu a techo para instalaciones eléctricas y/o de telecomunicaciones en: Unidades UCI y quirófanos, habitaciones y salas de espera de centros sanitarios y hospitales, nuevos desarrollos de hospitales y hospitales provisionales, centros geriátricos y asistenciales colegios, universidades y centros de enseñanza obras civiles, túneles, parkings, edificios públicos, centros comerciales, centros de proceso de datos, grandes infraestructuras, aeropuertos, líneas de metro, tren, sector terciario y aplicaciones industriales.

Solutions



www.pemsa-rejiband.com



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product data					
Protection System		CU	Material		Steel with surface coating
Finish		CU1, Copperplated	F (kg)		200
Resistance Class		Class 1	Mf1 (Kg·m)		7
Width (mm)		400	Mf2 (Kg·m)		6
kg/u		0.670	Working temperature range (°C)		-50 / 150 °C
u		5	Fire resistance		A1 No combustible

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane



PE - Polyethylene



NBR - NBR rubber



PET - Thermoplastic Polyester

TPV - Thermoplastic



Load diagrams

↓CTA↓ (kg)		kg
	100	60
	150	60
	200	60
	300	38
	400	28

↓CTA↓ (kg)		kg
	100	60
	150	60
	200	60
	300	38
	400	28


↓CTA↓ (kg)		kg
	100	60
	150	60
	200	60
	300	38
	400	28





↓CTA↓ (kg)		kg
	100	60
	150	60
	200	60
	300	38
	400	28


Product applications





















































Pendant Omega PLUS (Ref: 82003274)







www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

