

IRIS-P IC Cablegland



Description

Advantages

Applications

Solutions



Main technical characteristics

 COLOR Grey RAL 7035, Black RAL 9005, Grey RAL 7001		 DN NW 3, NW 4, NW 5, NW 6, NW 7, NW 9, NW 8		
 PG 9, PG11, M16, PG13, PG16, PG21, M20, M25, PG29, M32		 POLIAMIDA 6,TPV	 IP65	 -25 / 60 °C
 LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA		ETIM 10 EC000441		

Product data

Colour	DN				L _{mm}		Ref	kg/u		
Grey RAL 7035	NW 3	PG 9	8	11	2	36	19	21240009	0,006	50
Grey RAL 7035	NW 4	PG11	8	14	2	37	22	21240011	0,009	50
Grey RAL 7035	NW 3	M16	8	11	2	36	19	21241160	0,007	50
Grey RAL 7035	NW 4	M16	10	14	2	39	22	21241161	0,007	50
Black RAL 9005	NW 3	PG 9	8	11	2	36	19	21250009	0,006	50
Black RAL 9005	NW 4	PG11	8	14	2	37	22	21250011	0,009	50
Black RAL 9005	NW 3	M16	8	11	2	36	19	21251160	0,007	50
Black RAL 9005	NW 4	M16	10	14	2	39	22	21251161	0,011	50
Grey RAL 7001	NW 3	PG 9	8	11	2	36	19	21260009	0,006	50
Grey RAL 7001	NW 4	PG11	8	14	2	37	22	21260011	0,009	50
Grey RAL 7001	NW 3	M16	8	11	2	36	19	21261160	0,007	50
Grey RAL 7001	NW 4	M16	10	14	2	39	22	21261161	0,007	50
Grey RAL 7035	NW 5	PG11	8	14	2	37	22	21340011	0,009	50
Grey RAL 7035	NW 6	PG13	9	16	2	38	24	21340013	0,011	50
Grey RAL 7035	NW 7	PG16	9	18	2	42	27	21340016	0,015	50
Grey RAL 7035	NW 9	PG21	11	22	2	49	33	21340021	0,024	50
Grey RAL 7035	NW 5	M16	10	14	2	39	22	21341161	0,007	50
Grey RAL 7035	NW 6	M20	10	16	2	39	24	21341200	0,011	50
Grey RAL 7035	NW 7	M20	10	18	2	43	27	21341201	0,012	50
Grey RAL 7035	NW 9	M25	10	22	2	48	33	21341250	0,024	50
Black RAL 9005	NW 5	PG11	8	14	2	37	22	21350011	0,009	50
Black RAL 9005	NW 6	PG13	9	16	2	38	24	21350013	0,011	50
Black RAL 9005	NW 7	PG16	9	18	2	42	27	21350016	0,015	50
Black RAL 9005	NW 9	PG21	11	22	2	49	33	21350021	0,024	50
Black RAL 9005	NW 5	M16	10	14	2	39	22	21351161	0,011	50
Black RAL 9005	NW 6	M20	10	16	2	39	24	21351200	0,011	50
Black RAL 9005	NW 7	M20	10	18	2	43	27	21351201	0,012	50
Black RAL 9005	NW 9	M25	10	22	2	48	33	21351250	0,024	50
Grey RAL 7001	NW 5	PG11	8	14	2	37	22	21360011	0,009	50
Grey RAL 7001	NW 6	PG13	9	16	2	38	24	21360013	0,011	50
Grey RAL 7001	NW 7	PG16	9	18	2	42	27	21360016	0,015	50
Grey RAL 7001	NW 9	PG21	11	22	2	49	33	21360021	0,024	50
Grey RAL 7001	NW 5	M16	10	14	2	39	22	21361161	0,007	50

IRIS-P IC Cablegland

COLOUR	DN							Ref	kg/u	
Grey RAL 7001	NW 6	M20	10	16	2	39	24	21361200	0,011	50
Grey RAL 7001	NW 7	M20	10	18	2	43	27	21361201	0,012	50
Grey RAL 7001	NW 9	M25	10	22	2	48	33	21361250	0,024	50
Grey RAL 7035	NW 3	PG 9	8	11	3	36	19	21440009	0,006	50
Grey RAL 7035	NW 7	PG21	11	22	3	49	33	21440021	0,024	50
Grey RAL 7035	NW 9	PG29	11	30	4	52	42	21440029	0,042	25
Grey RAL 7035	NW 3	M16	8	11	3	36	19	21441160	0,007	50
Grey RAL 7035	NW 7	M25	10	22	3	48	33	21441250	0,024	50
Grey RAL 7035	NW 9	M32	10	30	4	51	42	21441320	0,045	25
Black RAL 9005	NW 3	PG 9	8	11	3	36	19	21450009	0,006	50
Black RAL 9005	NW 7	PG21	11	22	3	49	33	21450021	0,024	50
Black RAL 9005	NW 9	PG29	11	30	4	52	42	21450029	0,042	25
Black RAL 9005	NW 3	M16	8	11	3	36	19	21451160	0,007	50
Black RAL 9005	NW 7	M25	10	22	3	48	33	21451250	0,024	50
Black RAL 9005	NW 9	M32	10	30	4	51	42	21451320	0,045	25
Grey RAL 7001	NW 3	PG 9	8	11	3	36	19	21460009	0,006	50
Grey RAL 7001	NW 7	PG21	11	22	3	49	33	21460021	0,024	50
Grey RAL 7001	NW 9	PG29	11	30	4	52	42	21460029	0,042	25
Grey RAL 7001	NW 3	M16	8	11	3	36	19	21461160	0,007	50
Grey RAL 7001	NW 7	M25	10	22	3	48	33	21461250	0,024	50
Grey RAL 7001	NW 9	M32	10	30	4	51	42	21461320	0,045	25
Grey RAL 7035	NW 5	PG11	8	14	3	37	22	21540011	0,009	50
Grey RAL 7035	NW 5	PG13	9	16	3	38	24	21540013	0,011	50
Grey RAL 7035	NW 6	PG16	9	18	3	42	27	21540016	0,015	50
Grey RAL 7035	NW 8	PG21	11	22	3	49	33	21540021	0,024	50
Grey RAL 7035	NW 5	M16	10	14	3	39	22	21541161	0,007	50
Grey RAL 7035	NW 5	M20	10	16	3	39	24	21541200	0,011	50
Grey RAL 7035	NW 6	M20	10	18	3	43	27	21541201	0,012	50
Grey RAL 7035	NW 8	M25	10	22	3	48	33	21541250	0,024	50
Black RAL 9005	NW 5	PG11	8	14	3	37	22	21550011	0,009	50
Black RAL 9005	NW 5	PG13	9	16	3	38	24	21550013	0,011	50
Black RAL 9005	NW 6	PG16	9	18	3	42	27	21550016	0,015	50
Black RAL 9005	NW 8	PG21	11	22	3	49	33	21550021	0,024	50
Black RAL 9005	NW 5	M16	10	14	3	39	22	21551161	0,011	50
Black RAL 9005	NW 5	M20	10	16	3	39	24	21551200	0,011	50
Black RAL 9005	NW 6	M20	10	18	3	43	27	21551201	0,012	50
Black RAL 9005	NW 8	M25	10	22	3	48	33	21551250	0,024	50
Grey RAL 7001	NW 5	PG11	8	14	3	37	22	21560011	0,009	50
Grey RAL 7001	NW 5	PG13	9	16	3	38	24	21560013	0,011	50
Grey RAL 7001	NW 6	PG16	9	18	3	42	27	21560016	0,015	50
Grey RAL 7001	NW 8	PG21	11	22	3	49	33	21560021	0,024	50



IRIS-P IC Cablegland

COLOUR	DN							Ref	kg/u	
Grey RAL 7001	NW 5	M16	10	14	3	39	22	21561161	0,007	50
Grey RAL 7001	NW 5	M20	10	16	3	39	24	21561200	0,011	50
Grey RAL 7001	NW 6	M20	10	18	3	43	27	21561201	0,012	50
Grey RAL 7001	NW 8	M25	10	22	3	48	33	21561250	0,024	50
Grey RAL 7035	NW 3	PG 9	8	11	4	36	19	21640009	0,006	50
Grey RAL 7035	NW 5	PG16	9	18	4	42	27	21640016	0,015	50
Grey RAL 7035	NW 7	PG21	11	22	4	49	33	21640021	0,024	50
Grey RAL 7035	NW 3	M16	8	11	4	36	19	21641160	0,007	50
Grey RAL 7035	NW 5	M20	10	18	4	43	27	21641201	0,012	50
Grey RAL 7035	NW 7	M25	10	22	4	48	33	21641250	0,024	50
Black RAL 9005	NW 3	PG 9	8	11	4	36	19	21650009	0,006	50
Black RAL 9005	NW 5	PG16	9	18	4	42	27	21650016	0,015	50
Black RAL 9005	NW 7	PG21	11	22	4	49	33	21650021	0,024	50
Black RAL 9005	NW 3	M16	8	11	4	36	19	21651160	0,007	50
Black RAL 9005	NW 5	M20	10	18	4	43	27	21651201	0,012	50
Black RAL 9005	NW 7	M25	10	22	4	48	33	21651250	0,024	50
Grey RAL 7001	NW 3	PG 9	8	11	4	36	19	21660009	0,006	50
Grey RAL 7001	NW 5	PG16	9	18	4	42	27	21660016	0,015	50
Grey RAL 7001	NW 7	PG21	11	22	4	49	33	21660021	0,024	50
Grey RAL 7001	NW 3	M16	8	11	4	36	19	21661160	0,007	50
Grey RAL 7001	NW 5	M20	10	18	4	43	27	21661201	0,012	50
Grey RAL 7001	NW 7	M25	10	22	4	48	33	21661250	0,024	50
Grey RAL 7035	NW 4	PG21	11	22	8	49	33	21840021	0,024	50
Grey RAL 7035	NW 3	PG29	11	30	16	52	42	21840029	0,044	25
Grey RAL 7035	NW 4	M25	10	22	8	48	33	21841250	0,024	50
Grey RAL 7035	NW 3	M32	10	30	16	51	42	21841320	0,047	25
Black RAL 9005	NW 4	PG21	11	22	8	49	33	21850021	0,024	50
Black RAL 9005	NW 3	PG29	11	30	16	52	42	21850029	0,044	25
Black RAL 9005	NW 4	M25	10	22	8	48	33	21851250	0,024	50
Black RAL 9005	NW 3	M32	10	30	16	51	42	21851320	0,047	25
Grey RAL 7001	NW 4	PG21	11	22	8	49	33	21860021	0,024	50
Grey RAL 7001	NW 3	PG29	11	30	16	52	42	21860029	0,044	25
Grey RAL 7001	NW 4	M25	10	22	8	48	33	21861250	0,024	50
Grey RAL 7001	NW 3	M32	10	30	16	51	42	21861320	0,047	25

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



IRIS-P IC Cablegland

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

