

TCM EMC Nut



Description


Advantages


Applications


Solutions





Main technical characteristics


 LTN

 Nickel-plated brass

 PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG42, PG48, M12, M16, M20, M25, M32, M40, M50, M63




 Nickel-plated brass


 -60 / 200 °C

 LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA

ETIM

Product data

			Ref	kg/u	
PG 7	3.3	15	40016007	0.002	100
PG 9	3.3	18	40016009	0.002	50
PG11	3.5	21	40016011	0.003	50
PG13	3.5	23	40016013	0.003	50
PG16	3.5	26	40016016	0.004	50
PG21	4	32	40016021	0.008	25
PG29	4.6	40	40016029	0.010	20
PG36	5.6	50	40016036	0.017	10
PG42	5.6	60	40016042	0.033	5
PG48	6.1	65	40016048	0.036	5
M12	3.3	15	40017120	0.003	100
M16	3.5	19	40017160	0.004	50
M20	3.5	24	40017200	0.005	50
M25	3.5	30	40017250	0.009	25
M32	4	36	40017320	0.011	20
M40	4.6	45	40017400	0.017	10
M50	5.6	55	40017500	0.028	5
M63	6.7	70	40017630	0.038	5

 Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating


GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

 Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

TCM EMC Nut

- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

