



Omega SPLUS Protector (Ref: 62031084)

1/4



Description

Plastic protector for omega supports, in red, providing maximum protection to the installer in the installation of trays. It acts as a cover for the final protection of the support, avoiding chafing and cuts during the installation and maintenance process.

Advantages

CE conformity to directive 2014/35 / EU.

Made of red plastic.

Improve the finish of the installation and protect the installer.

It is provided free of charge with each support. Included with omega SPLUS, omega ceiling , suspensions and omega pendants.

Click system of rapid push fit assembly. New design that also allows stacking of the supports and packaging optimisation.

Applications

Suitable for the protection of the ends of omega SPLUS brackets for the support of cable trays in electrical and / or telecommunications installations.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsas®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsas®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsas, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsas Cable Management, S.A."



Omega SPLUS Protector (Ref: 62031084)

2/4

Product data

ETIM 10	EC000475	Material	Plastic
Huella de CO2. GWP A1-A3 (kg CO2 eq.)		Working temperature range (°C)	-15 / 90 °C
Colour	Red RAL 3000		
kg/u	0,003		
u	50		

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product applications

