



PEMSA^{band} Inside Hanging Plate



Description

Inside Suspension for Pemsaband® tray. M10 threaded rod fixing that is concealed inside the tray. Attach the rod to the tray by means of an integrated thread. Available in different sizes and Protection Systems.

Advantages

For ceiling mounting with M10 rods. No need for any additional nuts as the plate has an integrated thread.

The support is concealed inside the tray giving an aesthetic appearance of the trays.

To connect the suspension to the tray, use the Pemsaband® M6 Joining Kit.

Easy and quick to install.







Available in widths from 100 to 400 mm and in different protection systems: PG and GC

Applications


Recommended for ceiling installation of Pemsaband® trays, concealing the suspension inside the tray. Suitable for the management of cables in electrical and telecommunications installations in public buildings, commercial centres or other buildings with a highly aesthetic component.


Solutions



Main technical characteristics						ETIM
 60	 100, 150, 200, 300, 400	 10	 Steel with surface coating	 -50 / 150 °C	 A1 No combustible	EC001003

Product data					
	Class EC 61537		Ref	kg/u	CTA J 60-1
PG	Class 3	100	70122210	0.162	40
PG	Class 3	150	70122215	0.204	35
PG	Class 3	200	70122220	0.247	27
PG	Class 3	300	70122230	0.333	20
PG	Class 3	400	70122240	0.417	
GC	Class 8	100	70132210	0.167	40
GC	Class 8	150	70132215	0.211	35
GC	Class 8	200	70132220	0.255	27
GC	Class 8	300	70132230	0.343	20
GC	Class 8	400	70132240	0.430	

 Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass

 Insulating materials
PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene
PA6 - Halogen Free Polyamide 6
PA12 - Halogen Free Polyamide 12
PU - Polyurethane
PE - Polyethylene
NBR - NBR rubber
PET - Thermoplastic Polyester
TPV - Thermoplastic