End Cover



Description

Metal cover used as end closure for the range of Pemsaband® One trays ensuring product tightness and a professional finish. Quick connection assembly using the Click system without couplers. Made of steel in various sizes and Protection Systems.

Advantages

Its unique design allows the closure of the various Pemsaband® One perforated trays.

Using this part in the end of the tray provides the closure of the assembly.

Safer professional finish.

Available in all sizes and protection systems: PG, GC and stainless steel AISI304 and AISI316.

Applications

It is used as the closing end of the system of Pemsaband® One perforated and solid trays to improve the sealing and protection of the installation. Applicable in the management of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

End Cover

Main technical characteristics

35, 60, 100	100, 150, 200, 300, 400, 500, 600	1	IP44	-50 / 150 °C	A1 No combustible	ETIM EC001573

Product data

S	Class IEC 61537			REF	kg/u	M
GC	Class 5	35	100	70039110	0.095	Steel with surface coating
GC	Class 5	35	150	70039115	0.141	Steel with surface coating
GC	Class 5	35	200	70039120	0.206	Steel with surface coating
GC	Class 5	35	300	70039130	0.307	Steel with surface coating
GC	Class 5	60	100	70039210	0.126	Steel with surface coating
GC	Class 5	60	150	70039215	0.179	Steel with surface coating
GC	Class 5	60	200	70039220	0.252	Steel with surface coating
GC	Class 5	60	300	70039230	0.369	Steel with surface coating
GC	Class 5	60	400	70039240	0.465	Steel with surface coating
GC	Class 5	60	500	70039250	0.576	Steel with surface coating
GC	Class 5	60	600	70039260	0.688	Steel with surface coating
GC	Class 5	100	100	70039410	0.175	Steel with surface coating
GC	Class 5	100	200	70039420	0.315	Steel with surface coating
GC	Class 5	100	300	70039430	0.451	Steel with surface coating
GC	Class 5	100	400	70039440	0.586	Steel with surface coating
GC	Class 5	100	500	70039450	0.723	Steel with surface coating
GC	Class 5	100	600	70039460	0.858	Steel with surface coating
PG	Class 3	35	100	71021010	0.073	Steel with surface coating
PG	Class 3	35	150	71021015	0.108	Steel with surface coating
PG	Class 3	35	200	71021020	0.158	Steel with surface coating
PG	Class 3	35	300	71021030	0.236	Steel with surface coating
PG	Class 3	60	100	71022010	0.098	Steel with surface coating
PG	Class 3	60	150	71022015	0.138	Steel with surface coating
PG	Class 3	60	200	71022020	0.194	Steel with surface coating
PG	Class 3	60	300	71022030	0.285	Steel with surface coating
PG	Class 3	60	400	71022040	0.422	Steel with surface coating
PG	Class 3	60	500	71022050	0.523	Steel with surface coating
PG	Class 3	60	600	71022060	0.624	Steel with surface coating
PG	Class 3	100	100	71024010	0.156	Steel with surface coating
PG	Class 3	100	200	71024020	0.282	Steel with surface coating
PG	Class 3	100	300	71024030	0.403	Steel with surface coating
PG	Class 3	100	400	71024040	0.525	Steel with surface coating
PG	Class 3	100	500	71024050	0.647	Steel with surface coating
PG	Class 3	100	600	71024060	0.768	Steel with surface coating
INOX	Class 9C	60	100	71052010	0.081	Stainless steel AISI 304
INOX	Class 9C	60	150	71052015	0.115	Stainless steel AISI 304

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

End Cover

Ⓢ	Class IEC 61537			REF	kg/u	Ⓜ
INOX	Class 9C	60	200	71052020	0.162	Stainless steel AISI 304
INOX	Class 9C	60	300	71052030	0.237	Stainless steel AISI 304
INOX	Class 9C	60	400	71052040	0.301	Stainless steel AISI 304
INOX	Class 9C	60	500	71052050	0.373	Stainless steel AISI 304
INOX	Class 9C	60	600	71052060	0.445	Stainless steel AISI 304
INOX	Class 9D	60	100	71062010	0.081	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	71062015	0.115	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	71062020	0.162	Acero inoxidable AISI 316L
INOX	Class 9D	60	300	71062030	0.237	Acero inoxidable AISI 316L
INOX	Class 9D	60	400	71062040	0.301	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	71062050	0.373	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	71062060	0.445	Acero inoxidable AISI 316L
AZ+	Class 8	60	100	82003806	0.098	Steel with surface coating
AZ+	Class 8	60	150	82003807	0.138	Steel with surface coating
AZ+	Class 8	60	200	82003808	0.194	Steel with surface coating
AZ+	Class 8	60	300	82003809	0.285	Steel with surface coating
AZ+	Class 8	60	400	82003810	0.482	Steel with surface coating
AZ+	Class 8	60	500	82003811	0.597	Steel with surface coating
AZ+	Class 8	60	600	82003812	0.713	Steel with surface coating

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

End Cover

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."