



Description

Solid metal cover designed to protect the straight sections of the Rejiband® wire mesh trays, Pemsaband® One, and Megaband® ladder. Snap fit mounting without the need of screws or fixings. It has an extended overlap at the end that improves the coupling and sealing of two straight sections of cover. Made of steel and available in various Protection Systems and sizes.

Advantages

Optimum adjustment on the metal trays giving them a greater protection.

Snap fit installation without any fixings.

It has a locking clip at the ends and a hole for a screw connection to close the cover so that it can only be opened with a tool

If the cover is combined with the sheet metal tray, Pemsaband® One, it becomes an IP2X protected channel for perforated version and IP4X for solid version

Available in various protection systems: PG, GC, BK8, AZ+ and stainless steel AISI 304 and AISI 316L.

Applications

Recommended for the protection of electrical and telecommunications wiring housed in Rejiband®, Pemsaband® and Megaband® trays in electrical and telecommunications installations in public buildings, infrastructure and civil works, industrial installation or tertiary sector.

Solutions



Main technical characteristics

 60, 100, 150, 200, 300, 400, 450, 500, 600	 3	 IP44	 -50 / 150 °C	 A1 No combustible	ETIM EC002403
--	---	--	--	---	------------------

Product data

Ⓢ	Class	Ⓛ	Ref	kg/u	Ⓜ	Ⓜ
PG	Class 3	60	73021060	0.472	24	Steel with surface coating
PG	Class 3	100	73021100	0.666	24	Steel with surface coating
PG	Class 3	150	73021150	0.912	12	Steel with surface coating
PG	Class 3	200	73021200	1.157	12	Steel with surface coating
PG	Class 3	300	73021300	1.918	6	Steel with surface coating
PG	Class 3	400	73021400	2.474	6	Steel with surface coating
PG	Class 3	450	73021450	3.084	6	Steel with surface coating
PG	Class 3	500	73021500	3.480	6	Steel with surface coating
PG	Class 3	600	73021600	4.156	6	Steel with surface coating
GC	Class 5	60	73031060	0.520	24	Steel with surface coating
GC	Class 5	100	73031100	0.736	24	Steel with surface coating
GC	Class 5	150	73031150	1.005	12	Steel with surface coating
GC	Class 5	200	73031200	1.277	12	Steel with surface coating
GC	Class 5	300	73031300	2.089	6	Steel with surface coating
GC	Class 5	400	73031400	2.694	6	Steel with surface coating
GC	Class 5	500	73031500	3.750	6	Steel with surface coating
GC	Class 5	600	73031600	4.476	6	Steel with surface coating
INOX	Class 9C	60	73051060	0.381	24	Stainless steel AISI 304
INOX	Class 9C	100	73051100	0.539	24	Stainless steel AISI 304
INOX	Class 9C	150	73051150	0.737	12	Stainless steel AISI 304
INOX	Class 9C	200	73051200	0.947	12	Stainless steel AISI 304
INOX	Class 9C	300	73051300	1.348	6	Stainless steel AISI 304
INOX	Class 9C	400	73051400	2.084	6	Stainless steel AISI 304
INOX	Class 9C	500	73051500	2.560	6	Stainless steel AISI 304
INOX	Class 9C	600	73051600	3.566	6	Stainless steel AISI 304
INOX	Class 9D	60	73061060	0.381	24	Acero inoxidable AISI 316L
INOX	Class 9D	100	73061100	0.539	24	Acero inoxidable AISI 316L
INOX	Class 9D	150	73061150	0.737	12	Acero inoxidable AISI 316L
INOX	Class 9D	200	73061200	0.947	12	Acero inoxidable AISI 316L
INOX	Class 9D	300	73061300	1.348	6	Acero inoxidable AISI 316L
INOX	Class 9D	400	73061400	2.084	6	Acero inoxidable AISI 316L
INOX	Class 9D	500	73061500	2.560	6	Acero inoxidable AISI 316L
INOX	Class 9D	600	73061600	3.566	6	Acero inoxidable AISI 316L
AZ+	Class 8	60	82003760	0.462	24	Steel with surface coating
AZ+	Class 8	100	82003761	0.643	24	Steel with surface coating
AZ+	Class 8	150	82003762	0.885	12	Steel with surface coating



Ⓢ	EN 61537	Ⓢ	Ref	kg/u	Ⓢ	Ⓜ
AZ+	Class 8	200	82003763	1.127	12	Steel with surface coating
AZ+	Class 8	300	82003764	1.858	6	Steel with surface coating
AZ+	Class 8	400	82003765	2.414	6	Steel with surface coating
AZ+	Class 8	500	82003766	3.400	6	Steel with surface coating
AZ+	Class 8	600	82003767	4.066	6	Steel with surface coating
BK8	Class 8	60	82004011	0.476	24	Steel with surface coating
BK8	Class 8	100	82004012	0.671	24	Steel with surface coating
BK8	Class 8	150	82004013	0.920	12	Steel with surface coating
BK8	Class 8	200	82004014	1.170	12	Steel with surface coating
BK8	Class 8	300	82004015	1.930	6	Steel with surface coating
BK8	Class 8	400	82004016	2.480	6	Steel with surface coating
BK8	Class 8	450	82004017	3.090	6	Steel with surface coating
BK8	Class 8	500	82004018	3.490	6	Steel with surface coating
BK8	Class 8	600	82004019	4.130	6	Steel with surface coating

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



Product applications









