



## Plan Channel Nut (Ref: 67060054)

1/3



### Description

Metal nut that together with a hexagonal head screw, is used on reinforced channels, supports and pendants for the assembly of support structures for Rejiband® wire mesh trays, Pemsaband® sheet trays and Megaband® ladder. M 6, M 8, With INOX protection system, I316L finish. Available in M6, M8 and M10. Made of steel and in various Protection Systems.

### Advantages

CE conformity to directive 2014/35 / EU.

Available in several protection systems: EZ, GC and AISI316L stainless steel.

It facilitates in the creation of support structures.

Suitable for placing inside the channel, both for the fixing of channel accessories or brackets to it.

Use with hexagonal bolt M6, M8 or M10.

### Applications

Suitable for the fixing of channel supports and structures for installations of Pemsaband® and Rejiband® metal trays in the management of electrical cables and / or telecommunications in public buildings, infrastructures and civil works, industrial installations and tertiary sector.

### Solutions



INDUSTRIA PETROQUÍMICA TUNELES. INFRAESTRUCTURAS



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product data			
Protection System	INOX	kg/u	0.039
Finish	Stainless Steel AISI 316L	u	100
Resistance Class	Class 9D	Material	Acero inoxidable AISI 316L
Flange (mm)	8	Working temperature range (°C)	-50 / 150 °C
M/PG	M 6	Fire resistance	A1 No combustible

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass


Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

**Plan Channel Nut** ( Ref: 67060054 )

3/3

**Product applications**



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."