
Cable tray Accessories

Reducer Pemsaband Vulcan



Description

Advantages

Plug-in connection system without additional couplers, only requiring the installation of the Coupler kit M 6 Pemsaband® Vulcan which allows saving costs in material and labor.

Applications

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Reducer Pemsaband Vulcan

Main technical characteristics

PG3, Pregalvanised, ZM High Resistance Alloy | 12, 18, 25, 50 | 100, 150, 225, 300, 450, 600, 750, 900 | ETIM 10

Steel with surface coating | 20 J | IP44 | -50 / 150 °C | A1 No combustible

Product data

(S)	(F)	Class IEC 61537				REF
PG	PG3, Pregalvanised	Class 3	12	100	50	82004993
PG	PG3, Pregalvanised	Class 3	12	150	50	82004994
PG	PG3, Pregalvanised	Class 3	12	150	75	82004995
PG	PG3, Pregalvanised	Class 3	12	225	75	82004996
PG	PG3, Pregalvanised	Class 3	12	225	100	82004997
PG	PG3, Pregalvanised	Class 3	18	300	100	82004998
PG	PG3, Pregalvanised	Class 3	18	300	150	82004999
PG	PG3, Pregalvanised	Class 3	25	100	50	82005000
PG	PG3, Pregalvanised	Class 3	25	150	50	82005001
PG	PG3, Pregalvanised	Class 3	25	150	75	82005002
PG	PG3, Pregalvanised	Class 3	25	225	75	82005003
PG	PG3, Pregalvanised	Class 3	25	225	100	82005004
PG	PG3, Pregalvanised	Class 3	25	300	100	82005005
PG	PG3, Pregalvanised	Class 3	25	300	150	82005006
PG	PG3, Pregalvanised	Class 3	25	450	150	82005007
PG	PG3, Pregalvanised	Class 3	25	450	225	82005008
PG	PG3, Pregalvanised	Class 3	25	600	225	82005009
PG	PG3, Pregalvanised	Class 3	25	600	300	82005010
PG	PG3, Pregalvanised	Class 3	25	600	450	82005011
PG	PG3, Pregalvanised	Class 3	25	750	600	82005012
PG	PG3, Pregalvanised	Class 3	25	900	750	82005013
PG	PG3, Pregalvanised	Class 3	50	100	50	82005014
PG	PG3, Pregalvanised	Class 3	50	150	50	82005015
PG	PG3, Pregalvanised	Class 3	50	150	75	82005016
PG	PG3, Pregalvanised	Class 3	50	225	75	82005017
PG	PG3, Pregalvanised	Class 3	50	225	100	82005018
PG	PG3, Pregalvanised	Class 3	50	300	100	82005019
PG	PG3, Pregalvanised	Class 3	50	300	150	82005020
PG	PG3, Pregalvanised	Class 3	50	450	150	82005021
PG	PG3, Pregalvanised	Class 3	50	450	225	82005022
PG	PG3, Pregalvanised	Class 3	50	600	225	82005023
PG	PG3, Pregalvanised	Class 3	50	600	300	82005024
PG	PG3, Pregalvanised	Class 3	50	600	450	82005025
PG	PG3, Pregalvanised	Class 3	50	750	600	82005026
PG	PG3, Pregalvanised	Class 3	50	900	750	82005027

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Reducer Pemsaband Vulcan

Ⓢ	Ⓕ	Class IEC 61537				Ref
AZ+	ZM High Resistance Alloy	Class 8	25	100	50	82005028
AZ+	ZM High Resistance Alloy	Class 8	25	150	50	82005029
AZ+	ZM High Resistance Alloy	Class 8	25	150	75	82005030
AZ+	ZM High Resistance Alloy	Class 8	25	225	75	82005031
AZ+	ZM High Resistance Alloy	Class 8	25	225	100	82005032
AZ+	ZM High Resistance Alloy	Class 8	25	300	100	82005033
AZ+	ZM High Resistance Alloy	Class 8	25	300	150	82005034
AZ+	ZM High Resistance Alloy	Class 8	25	450	150	82005035
AZ+	ZM High Resistance Alloy	Class 8	25	450	225	82005036
AZ+	ZM High Resistance Alloy	Class 8	25	600	225	82005037
AZ+	ZM High Resistance Alloy	Class 8	25	600	300	82005038
AZ+	ZM High Resistance Alloy	Class 8	25	600	450	82005039
AZ+	ZM High Resistance Alloy	Class 8	25	750	600	82005040
AZ+	ZM High Resistance Alloy	Class 8	25	900	750	82005041
AZ+	ZM High Resistance Alloy	Class 8	50	100	50	82005042
AZ+	ZM High Resistance Alloy	Class 8	50	150	50	82005043
AZ+	ZM High Resistance Alloy	Class 8	50	150	75	82005044
AZ+	ZM High Resistance Alloy	Class 8	50	225	75	82005045
AZ+	ZM High Resistance Alloy	Class 8	50	225	100	82005046
AZ+	ZM High Resistance Alloy	Class 8	50	300	100	82005047
AZ+	ZM High Resistance Alloy	Class 8	50	300	150	82005048
AZ+	ZM High Resistance Alloy	Class 8	50	450	150	82005049
AZ+	ZM High Resistance Alloy	Class 8	50	450	225	82005050
AZ+	ZM High Resistance Alloy	Class 8	50	600	225	82005051
AZ+	ZM High Resistance Alloy	Class 8	50	600	300	82005052
AZ+	ZM High Resistance Alloy	Class 8	50	600	450	82005053
AZ+	ZM High Resistance Alloy	Class 8	50	750	600	82005054
AZ+	ZM High Resistance Alloy	Class 8	50	900	750	82005055

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Reducer Pemsaband Vulcan

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."