



Strut Clip



Description

Metal clip for connecting Rejiband® wire mesh tray to 41x21 or 41x41mm channel and strut. The clip fastening is compatible with all types of channel. It is suitable for all tray sizes except 35x60 and 60x60mm.

Advantages

Fixing by quick mount click system.

No screws or other fasteners required.

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 8 according to IEC 61537.

Applications

Suitable for the fast fixing of Rejiband wire mesh tray onto 41x21 or 41x41mm channel in interior installations in a dry atmosphere without contaminants, outdoor, industrial, rural or Interior installations.

Solutions



OFFSHORE, PORTS TUNNELS INFRASTRUCTURES



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

 -50 / 150 °C	 A1 No combustible	ETIM 10 EC001005
--	---	---------------------

Product data

		Ref	kg/u		
GC	Class 8	67030049	0,018	50	Steel with surface coating
INOX	Class 9D	67060050	0,010	100	Acero inoxidable AISI 316L

 Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic



Product applications

