



Central Hanging Plate (Ref: 67020046)

1/10



Description

Central mounting bracket, in M6, M8 and M10, for Rejiband® wire mesh tray. M10, M10, With BC protection system, BYCRO finish. It allows the introduction of cables into the tray from the side and saves installation time when mounting it with a single rod and the respective nuts. Available in various Protection Systems.

Advantages

Suitable for tray widths from 100 to 200 mm inclusive.

Available in various protection systems: EZ, BC, GC, high resistance BK C8 and passivated stainless steel AISI 316.

Available in various diameters: M6, M8 and M10.

The ceiling mount allows the introduction of cables into the tray from the side, saves in installation time and cost of material.

Thanks to its shape it adapts easily for anchoring to the rods.

Applications

Suitable for the ceiling mounting of Rejiband in widths from 100 to 200 mm by means of a single rod in indoor installations in a dry atmosphere with no contaminants, exterior, industrial, marine, rural or aggressive interior installations.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product data			
Protection System		BC	
Finish		BYCRO	
Resistance Class		Class 5	
M/PG		M10	
kg/u		0.031	
u		20	
Material		Steel with surface coating	
SWL (kg)		70	
Working temperature range (°C)		-50 / 150 °C	
Fire resistance		A1 No combustible	

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass


Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

Central Hanging Plate (Ref: 67020046)


3/10

Product applications




Central Hanging Plate (Ref: 67020046)

4/10




Central Hanging Plate (Ref: 67020046)

5/10




Central Hanging Plate (Ref: 67020046)

6/10




Central Hanging Plate (Ref: 67020046)

7/10




Central Hanging Plate (Ref: 67020046)

8/10



Central Hanging Plate (Ref: 67020046)

9/10



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Central Hanging Plate (Ref: 67020046)

10/10

