





Description

Plastic part, with Click system, for assembly in the Rejiband® tray that facilitates the output of the wiring without causing damage or kinking of the cables. Specially designed for the output of telecommunications cables and/or fibre optics and protects the curvature of the cable with a bending radius of <50 mm.

Advantages

Fixing by quick mount click system.

It prevents damages and any possible deformation in the cables.

Allows the output of cables in a different direction or bypass in the correct way.

Very versatile piece, quick and easy to install.

Protects the radius and curvature of the cable.

Applications

Best option for the cable output from the Rejiband® tray and used mainly in telecommunications wiring, fibre optic and electrical cabling.

Solutions



DATA CENTERS



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product data

ETIM 10	EC000858	Material	Plastic
Huella de CO2. GWP A1-A3 (kg CO2 eq.)		Working temperature range (°C)	-15 / 90 °C
Colour	Red RAL 3000	Fire resistance	NO PROPAGADOR DE LA LLAMA,GRADO UL94: V2
kg/u	0,012		
u	10		

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product applications

