


Fixing Support

1/5



Description

ABS plastic support in a red colour for fixing and clamping cables to the Rejiband® wire mesh tray. A Rejiband® accessory that allows the organization of cables in the wire mesh tray and grouping of the different types of cables for convenience: power, UTP or fibre optic cables. Quick connection assembly using the Click system without screws.

Advantages

Fixing by quick click system.

Quick installation without the need for screws or fastenings.

Economical and reusable.

Allows a quick and flexible way to clamp cables.

Can be placed in the full width of the tray.

High safety material, flammability V0 according to UL94 for black references.

Applications

Suitable for installations of voice, data and fibre optic cables and all electrical wiring.

Solutions



DATA CENTERS



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Main technical characteristics

Colour	Red RAL 3000, Black RAL 9005	kg/u	0,007		20		Plastic		-15 / 90 °C	ETIM 10	EC002935
--------	------------------------------	------	-------	---	----	---	---------	---	-------------	---------	----------

Product data

COLOUR	REF	
Red RAL 3000	68000010	NO PROPAGADOR DE LA LLAMA,GRADO UL94: V2
Black RAL 9005	68000110	NO PROPAGADOR DE LA LLAMA,GRADO UL94: V0

 Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass


 Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

Fixing Support

3/5

Product applications



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Fixing Support

