



Description

Plastic support in a red colour for the quick installation of junction boxes to the flange of the Rejiband® trays using the Click system without screws. Support suitable for trays of height 60 and 100 mm.

Advantages

Economical and reusable.

Fixing by quick click system.

Support material is red plastic.

Quick installation.

Applications

Use for the fitting of boxes or other items to the Rejiband® wire mesh tray by attaching with firm pressure to the tray rods.

Solutions



Product data			
kg/u	0.009	Material	Plastic
u	20	Working temperature range (°C)	-15 / 90 °C

Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass

Insulating materials
PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene
PA6 - Halogen Free Polyamide 6
PA12 - Halogen Free Polyamide 12
PU - Polyurethane
PE - Polyethylene
NBR - NBR rubber
PET - Thermoplastic Polyester
TPV - Thermoplastic

Product applications



