


Omega Ceiling Support SPLUS SAFECu (

1/6

Ref: 82003280)



Description

Support with omega profile and universal connection system for Rejiband® SAFECu trays in ceiling installations. Width 300 mm. Ceiling fixing system recommended for medium and light loads. Made from steel with CU protection system.

Advantages

Suitable as ceiling support of cable trays for antimicrobial and COVID-free cable management systems

CE conformity in accordance to the low voltage directive 2014 /35 /UE and the international product standard IEC 61537

Reinforced omega profile. Increase the performance of the support.

Click system allows fast connection of the wire mesh tray without the need of fixings. Greater economy and quick assembly.

SAFECu Protection system, copper-plated treatment, which confers hygienic properties by eliminating bacteria, viruses and fungi

Applications

Adecuado para soportar cargas elevadas en bandejas portacables Rejiband® SAFECu a techo para instalaciones eléctricas y/o de telecomunicaciones en: Unidades UCI y quirófanos, habitaciones y salas de espera de centros sanitarios y hospitales, nuevos desarrollos de hospitales y hospitales provisionales, centros geriátricos y asistenciales, colegios, Universidades y centros de enseñanza, edificios de oficinas, centros comerciales, teatros, centros deportivos, etc.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product data

Protection System	CU	u	4
Finish	CU1, Copperplated	Material	Steel with surface coating
Resistance Class	Class 1	SWL (kg)	25
Flange (mm)	190	Working temperature range (°C)	-50 / 150 °C
Width (mm)	300	Fire resistance	A1 No combustible
kg/u	0.758		

Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

Insulating materials


- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Omega Ceiling Support SPLUS SAFECu (

3/6

Ref: 82003280)

Product applications



www.pemsa-rejiband.com


Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Omega Ceiling Support SPLUS SAFECu (

4/6

Ref: 82003280)



www.pemsa-rejiband.com




Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Omega Ceiling Support SPLUS SAFECu (

5/6

Ref: 82003280)




www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Omega Ceiling Support SPLUS SAFECu (

6/6

Ref: 82003280)



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

