
Assembly Accessories

Conduits Clip PA6





Description

Support for fixing flexible conduits in Easy to install using the rail clip and, by using the joint clip, several can be joined together to form blocks.

Advantages

Manufactured in polyamide 6. Self-extinguishing, halogen-free according to UNE/EN 60754-2 y UNE/EN 60754-1 and flame-retardant.

Click connection system that allows easy and fast coupling to the conduit.

Working temperature: -40°C to + 120°C.

Protection index EN 60529: IP54.

CE certified in compliance with the low voltage directive 2014/35 / EU

Applications

Suitable for fixing Pemsaflex®, LG-PA, ST-PA, RF-PA, RB-PA and RB-PU conduits for the protection of wiring and conductors in electrical installations of machines, tools, industrial equipment, robots, vehicles and special facilities.

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Conduits Clip PA6

Main technical characteristics

Colour Grey RAL 7031, Black RAL 9005

DN NW 7, NW10, NW12, NW14, NW17, NW23, NW29, NW36, NW48

Polyamide 6

-40 / 120 °C

LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA

ETIM 10
EC000368

Product data

Colour	DN	L(mm)	A(mm)	B(mm)	Ref	kg/u	u
Grey RAL 7031	NW 7	15	24.5	18	31094000	0,005	100
Grey RAL 7031	NW10	15	24.5	18.5	31094100	0,005	50
Grey RAL 7031	NW12	21	30	18.5	31094200	0,005	50
Grey RAL 7031	NW14	24	34	18.5	31094300	0,007	50
Grey RAL 7031	NW17	28	39	18.5	31094400	0,008	50
Grey RAL 7031	NW23	37	51	18.5	31094500	0,011	25
Grey RAL 7031	NW29	45.5	62	19.5	31094600	0,017	25
Grey RAL 7031	NW36	55.5	74.5	22	31094700	0,020	25
Grey RAL 7031	NW48	71	95.5	24.5	31094800	0,030	10
Black RAL 9005	NW 7	15	24.5	18	32094000	0,005	100
Black RAL 9005	NW10	15	24.5	18.5	32094100	0,005	50
Black RAL 9005	NW12	21	30	18.5	32094200	0,005	50
Black RAL 9005	NW14	24	34	18.5	32094300	0,007	50
Black RAL 9005	NW17	28	39	17.5	32094400	0,008	50
Black RAL 9005	NW23	37	51	18.5	32094500	0,011	25
Black RAL 9005	NW29	45.5	62	19.5	32094600	0,017	25
Black RAL 9005	NW36	55.5	74.5	22	32094700	0,020	25
Black RAL 9005	NW48	71	95.5	24.5	32094800	0,030	10

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Conduits Clip PA6

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."