


41x82 Cantilever Arm Pendant



Description

41x82mm vertical pendulum-type channel support for ceiling fixing of cable trays, electrical conduits and other heating pipe installations, A/C, fire protection systems, etc. It has a reinforced structure that makes it capable of supporting very high loads. Made of steel with GC protection system.

Advantages

Available in widths from 500 to 1000 mm depending on the protection system. It has wide fixing options.

The total length of the support is: (cable tray width + 55mm), that is, it has an additional measure of length to favor the separation of the installation from the facing or surface.

Protection index EN 60529: IP67.

Load values according to international standard IEC 61537.

Available in GC Protection System

In accordance with CE standard with respect to directive 2014/35 / EU.

Applications

Application as a vertical ceiling support. For supporting Cable Trays (rejiband®, pemsaband®, megaband®, among others) but it is also very useful for supporting electrical conduits and other heating pipe installations, A/C, fire systems etc.

Solutions



Main technical characteristics

 500, 600, 800, 1000	 1	 Steel with surface coating	 -25 / 105 °C	 A1 No combustible	ETIM 10 EC001003
---	---	--	--	---	---------------------

Product data

			Ref	kg/u	
GC	Class 6	500	82002622	3,370	376
GC	Class 6	600	82002623	3,890	318
GC	Class 6	800	82002624	4,930	247
GC	Class 6	1000	82002625	5,980	198
EZ	Class 3	500	82004243	3,310	
EZ	Class 3	600	82004244	3,830	
EZ	Class 3	800	82004245	4,850	
EZ	Class 3	1000	82004246	5,880	

 Protection System


- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

41x82 Cantilever Arm Pendant

Product applications



41x82 Cantilever Arm Pendant

