




Description

Advantages

Ceiling fixing using 41x41 and 41x21 channels in the central part of the cable ladder, making it easier to lay and install cables thanks to the sides of the cable ladder are free.

Load values according to international standard IEC 61537.

Available in protection systems: PG, pre-galvanized and GC, hot-dip galvanized

CE conformity in accordance to the low voltage directive 2014 /35 /UE.

Applications

Suitable for supporting medium loads in ceiling-mounted cable ladders for electrical and/or telecommunications installations in: Civil works, tunnels, car parks, public buildings, shopping centres, large infrastructures such as: Airports, metro and train lines, and in the tertiary sector and industrial applications such as naval, textile, chemical and food, depending on the protection system.

Solutions

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

PG3, Pregalvanised, HDG, Hot Dip Galvanised | 150, 200, 300, 400, 500, 600 | 4 | Steel with surface coating | -50 / 150 °C

A1 No combustible | ETIM 10 EC001003

Product data

Ⓢ	Ⓕ	Class IEC 61537		REF	kg/u
PG	PG3, Pregalvanised	Class 3	150	82004210	0,267
PG	PG3, Pregalvanised	Class 3	200	82004212	0,346
PG	PG3, Pregalvanised	Class 3	300	82004213	0,499
PG	PG3, Pregalvanised	Class 3	400	82004214	0,655
PG	PG3, Pregalvanised	Class 3	500	82004215	0,813
PG	PG3, Pregalvanised	Class 3	600	82004216	0,967
GC	HDG, Hot Dip Galvanised	Class 6	150	82004217	0,280
GC	HDG, Hot Dip Galvanised	Class 6	200	82004218	0,363
GC	HDG, Hot Dip Galvanised	Class 6	300	82004219	0,525
GC	HDG, Hot Dip Galvanised	Class 6	400	82004220	0,688
GC	HDG, Hot Dip Galvanised	Class 6	500	82004221	0,854
GC	HDG, Hot Dip Galvanised	Class 6	600	82004222	1,012

Ⓢ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

TPV - Thermoplastic

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Product applications



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."