**Ceiling Supports** 


19/05/2024 Omega SPLUS Suspension (Ref: 82003295) 1/10











#### Description

Support with omega profile and universal connection system for Rejiband® SAFECu trays in ceiling installations with rod. Width 600 mm. Made from steel with CU protection system.

#### **Advantages**

Suitable as ceiling support of cable trays for antimicrobial and COVID-free cable management systems

CE conformity in accordance to the low voltage directive 2014/35/UE and the international product standard IEC 61537

Click system allows fast connection of the wire mesh tray without the need of fixings. Greater economy and quick assembly.

SAFECu Protection system, copper-plated treatment, which confers hygienic properties by eliminating bacteria, viruses and fungi

Universal mounting system compatible with Rejiband® wire mesh trays. Single support for all cable trays. Reduction in the number of references.

#### **Applications**

Indicado para soportar cargas medias en bandejas portacables a techo Rejiband® SAFECu con 1 o 2 varillas para instalaciones eléctricas y/o de telecomunicaciones en: Unidades UCI y quirófanos, habitaciones y salas de espera de centros sanitarios y hospitales, nuevos desarrollos de hospitales y hospitales provisionales, centros geriátricos y asistenciales, colegios, Universidades y centros de enseñanza, edificios de oficinas, centros comerciales, teatros, centros deportivos, etc.

#### Solutions













**Product data** 

**Resistance Class** 

**Ceiling Supports** 

## Omega SPLUS Suspension (Ref: 82003295)

19/05/2024

2/10

Protection System	CI

Finish CU1, Copperplated

Width (mm) 600

kg/u 0.505

Class 1

u	10
Material	Steel with surface coating
SWL (kg)	390
Working temperature range (°C)	-50 / 150 °C
Fire resistance	A1 No combustible

#### **S** Protection System

**CU** - Copper electroplated

**PG** - Pregalvanised

EZ - Electrogalvanised

**BC** - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

#### **M** Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

registered trademarks property of "Pemsa Cable Management, S.A."












## Omega SPLUS Suspension (Ref: 82003295)

3/10

#### **Product applications**














# Omega SPLUS Suspension (Ref: 82003295)














# Omega SPLUS Suspension (Ref: 82003295)














# Omega SPLUS Suspension (Ref: 82003295)














19/05/2024 Ceiling Supports

Omega SPLUS Suspension (Ref: 82003295)














Ceiling Supports

## Omega SPLUS Suspension (Ref: 82003295)

19/05/2024














19/05/2024 Ceiling Supports

## Omega SPLUS Suspension (Ref: 82003295)











Ceiling Supports

Omega SPLUS Suspension (Ref: 82003295)

19/05/2024

