


90° Bend Cover MEGAband



Description

Metal accessory for the protection of the 90° bend. Quick connection assembly by Click system, without fixings. Made of steel and available in various sizes.

Advantages

Click-connection system. Quick assembly without fasteners.

Notable savings in joints and installation time.









Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

Used for the protection of flat 90° Megaband® ladder bends in the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions



Main technical characteristics									
 GC	 <small>Class 6</small>	 100, 150, 200, 300, 400, 450, 500, 600, 750, 900			 300	90	 1	 Steel with surface coating	
 -50 / 150 °C	 A1 No combustible	ETIM EC001569							


Product data		
⌀	Ref	kg/l
100	94030100	0.870
150	94030150	1.171
200	94030200	1.421
300	94030300	2.231
400	94030400	3.071
450	94030450	3.531
500	94030500	4.531
600	94030600	5.827
750	94030750	7.828
900	94030900	10.109

Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass

Insulating materials
PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene
PA6 - Halogen Free Polyamide 6
PA12 - Halogen Free Polyamide 12
PU - Polyurethane
PE - Polyethylene
NBR - NBR rubber
PET - Thermoplastic Polyester
TPV - Thermoplastic

90° Bend Cover MEGA**band**

Product applications



90° Bend Cover MEGAband

