




### Description

Cover for the final closure of Metatray® cables trays and trunkings. Of 60 mm height, Width 200 mm. Made of PVC-based Thermoplastic insulating material. Grey RAL 7035 colour.

### Advantages

Excellent performance in corrosive environments, weather and exposure to UV radiation.

Insulating material, electrical safety and reduced maintenance costs.

Non-flame-propagating. Reaction to fire, V0 grade and M1 classification

Provides IP2X or IP4X protection grade and Impact Grade 20 J (EN 61537) or IK10 (EN50085)

Protection and maximum tightness, IP2X or IP4X.

### Applications

### Solutions



## Product data

|                                       |               |                                |                         |
|---------------------------------------|---------------|--------------------------------|-------------------------|
| ETIM 10                               | EC001574      | Material                       | PVC                     |
| Huella de CO2. GWP A1-A3 (kg CO2 eq.) | 0             | Working temperature range (°C) | -20 / 60 °C             |
| Colour                                | Grey RAL 7035 | Fire resistance                | GRADO UL94: V0          |
| Flange (mm)                           | 60            | UV Behaviour                   | Resistant acc. to UL568 |
| Width (mm)                            | 200           |                                |                         |
| kg/u                                  | 0,093         |                                |                         |
| u                                     | 2             |                                |                         |

## Protection System

**CU** - Copper electroplated

**PG** - Pregalvanised

**EZ** - Electrogalvanised

**BC** - Electrogalvanised Bichromate

**BK8** - High Resistance Coating

**GC** - Hot Dip Galvanising

**INOX** - Stainless Steel

**PT** - Polyester Paint

**AL** - Aluminum

**LN** - Brass or Nickel-plated brass

## Insulating materials

**PC+ABS** - Halogen Free Polycarbonate + ABS

**PVC** - Polyvinyl Chloride

**PP** - Halogen Free Polypropylene

**PA6** - Halogen Free Polyamide 6

**PA12** - Halogen Free Polyamide 12

**PU** - Polyurethane

**PE** - Polyethylene

**NBR** - NBR rubber

**PET** - Thermoplastic Polyester

**TPV** - Thermoplastic



## Product applications



