
Accessories PEMSABAND PQ

29/03/2024

#### 1/3

# **PQU Straight Cover**











#### Description

Straight metal cover for the protection of the straight sections of the Pemsaband® PQU trays. Approved according to CEPSA and REPSOL specifications. Made of steel and with GC Protection System 85 microns thick.

## **Advantages**

Optimum adjustment on the metal trays giving them a greater protection.

Easy and fast assembly system.

The sheet metal tray, plus the cover, becomes a protective trunking in grade IP2X.

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 8 according to IEC 61537.

### **Applications**

Used for the protection of the Electrical and Telecommunications Wiring housed in Pemsaband® PQU trays, for the Support, management and distribution of cables in Petrochemical, Oil & Gas, Offshore, Civil works and Infrastructures, as well as in tunnels and installation galleries.

Solutions



www.pemsa-rejiband.com









Accessories PEMSABAND PQ 29/03/2024

## **PQU Straight Cover**

2/3

#### Main technical characteristics

(S) GC

Class 8

50, 100, 150, 200, 300, 400, 500, 600

**\*** -50 / 150

°C

10.600

A1 No combustible

EC002403

3

Product data				
		Ref	kg/u	<b>G</b>
50	2	70393005	1.150	2
100	2	70393010	2.120	2
150	2	70393015	2.980	2
200	2	70393020	3.830	2
300	2	70393030	5.500	2
400	2	70393040	7.190	2
500	2	70393050	8.890	2
600	2	70393060	10.600	2
50	3	70393105	1.150	3
100	3	70393110	2.120	3
150	3	70393115	2.980	3
200	3	70393120	3.830	3
300	3	70393130	5.500	3
400	3	70393140	7.190	3
500	3	70393150	8.890	3

70393160

### **S** Protection System

600

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

## **™** Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12



www.pemsa-rejiband.com











3



3/3



Accessories PEMSABAND PQ 29/03/2024

# **PQU Straight Cover**

**PU** - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

**TPV** - Thermoplastic

www.pemsa-rejiband.com Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."











