


Crossover/Tee Cover MEGAband



Description

Metal cover for the protection of the Tee and crossover used with Megaband® ladders. Quick connection assembly using the Click system, without screws. Made of steel in various sizes and Protection Systems.

Advantages

Click-connection system. Quick assembly without fasteners.

Use two covers for the protection of the Megaband® Crossover.

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 7.

Applications

Used for the protection of Megaband® ladder Tees and Crossovers in the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions



Main technical characteristics

 GC	 Class 6	 100, 150, 200, 300, 400, 450, 500, 600, 750, 900	 300	 1	 Steel with surface coating
 -50 / 150 °C	 A1 No combustible	ETIM 10 EC002401			

Product data

	Ref	kg/u
100	94130100	1,101
150	94130150	1,181
200	94130200	1,311
300	94130300	1,591
400	94130400	1,861
450	94130450	2,001
500	94130500	2,411
600	94130600	2,711
750	94130750	3,181
900	94130900	3,641

 Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Product applications

