


Crossover/Tee Cover MEGAband (Ref: 94130450)



Description

Metal cover for the protection of the Tee and crossover used with Megaband® ladders. Width 450 mm, With GC protection system. Quick connection assembly using the Click system, without screws. Made of steel in various sizes and Protection Systems.

Advantages

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 7.

Click-connection system. Quick assembly without fasteners.

Use two covers for the protection of the Megaband® Crossover.

Applications

Used for the protection of Megaband® ladder Tees and Crossovers in the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions



Product data			
Protection System	GC	kg/u	2.001
Finish	HDG, Hot Dip Galvanised	u	1
Resistance Class	Class 6	Material	Steel with surface coating
Width (mm)	450	Working temperature range (°C)	-50 / 150 °C
R stat. (mm)	300	Fire resistance	A1 No combustible

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Crossover/Tee Cover MEGAband (Ref: 94130450)

3/3

Product applications

